




# PRICE LIST

**June 15, 2017**

**Supersedes all previous price books**



**Email:**

Domesticsales@globesprinkler.com  
Canadiansales@globesprinkler.com  
Internationalsales@globesprinkler.com

PHONE: 989-846-4583 800-248-0278

FAX: 989-846-9231 800-846-9211

4077 Airpark Drive • Standish, Michigan 48658



## GLOBE TERMS AND CONDITIONS

---

**MINIMUM BILLING:** \$100.00 (Invoiced)

**PRICING:** Prices are subject to change without notification.

**EXPORT PACKING:** No charge is added for our standard palletized, shrink wrapped and steel banded packing. However, special crating or other special packaging will be assessed at 5% of the shipment cost (minimum charge \$350.00).

**TERMS:** Net 30 Days subject to Credit Department approval. Open account terms are extended to those who supply our Credit Department with satisfactory credit references. Delinquent accounts are subject to 1 1/2% monthly (18% annual rate) service charge. All expenses of collection and reasonable legal fees incurred by Globe by reason of buyer default become the buyer's responsibility. OVERSEAS sales terms are Letter of Credit, pre-payment, or as mutually agreed. Net 30 Days Terms do not apply to overseas sales.

**RETURNED CHECKS:** A \$35.00 fee will be charged for all returned checks.

**DELIVERY:** All shipments will be F.O.B Standish, MI, or shipping point. Method of shipment to be designated by buyer. If not so designated, shipper will determine best method in his judgment.

**PARTIAL SHIPMENTS:** GLOBE reserves the right to make partial shipments unless otherwise noted on the original purchase order.

**CANCELLATIONS:** GLOBE reserves the right to charge a \$75.00 fee for cancelled orders.

**RETURNED GOODS:** In order that materials may be returned and handling expedited, THE PURCHASER MUST REQUEST AND RECEIVE AUTHORIZATION WITHIN 30 DAYS OF ORIGINAL SHIPPING DATE FROM THE COMPANY PRIOR TO RETURN OF ANY MERCHANDISE. Such merchandise shall be returned freight prepaid, accompanied by a packing slip referencing the original shipment, and packing in such a manner to insure receipt in good condition. Returned merchandise in unused condition, which was currently shipped in accordance with the purchaser's order, is subject to a minimum handling charge of \$50.00 or 25% of the amount charged for the merchandise being returned - whichever is greater - plus all freight charges.

Refunds will not be issued; credit issued must be used against future purchases. All specialty items of a resale or made-to-order nature are subject to cancellation or return ONLY by written permission and agreement to pay any costs already incurred. Dry type sprinklers are custom-made and are non-returnable.

**TAXES:** Any local, State, or Federal sales or excise tax now or later levied, for which we may be liable on a sale, shall be charged to and paid by the buyer. If a buyer is exempt from paying certain taxes, a Tax Exemption Certificate should be on file in our office.

**CLAIMS:** Damaged or lost goods in transit should be promptly reported to the carrier. Any claims for loss or damaged shall be the responsibility of the buyer, unless reported within 10 days of the invoice date. Any error in shipment of the material should be reported to Globe Fire Sprinkler Corporation immediately upon receipt of the shipment.

**WARRANTY:** Listed and approved sprinkler products and devices manufactured by Globe Fire Sprinkler Corporation are produced in strict accordance with standard quality control procedures. We warrant our products to be free from defects in material and workmanship under normal use and service. Our obligation under this warranty shall be limited to replacing, at our plant, any parts thereof which shall, within one year after delivery to the ORIGINAL PURCHASER, be demonstrated to be defective. In order to accomplish demonstration of defectiveness, the parts claimed to be defective must be sent by the original purchaser to Globe Fire Sprinkler Corporation, 4077 Airpark Drive, Standish, MI 48658. Globe shall not be liable under any terms of this warranty if the defective part is not submitted to Globe for inspection. This warranty does not extend to incidental or consequential damages of any nature. In no event shall Globe Fire Sprinkler Corporation be liable, in contract, tort, strict liability or under any other legal theory, for incidental, indirect, special or consequential damages, including but not limited to labor charges, regardless of whether Globe Fire Sprinkler Corporation was informed about the possibility of such damages, and in no event shall Globe Fire Sprinkler Corporation liability exceed an amount equal to the sales price. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS for purpose intended. No person, firm or corporation is authorized to assume for us any other liability in connection with the sale of our products.

**LIABILITY:** Globe assumes no penalty or liability for delays in shipping due to fire, strikes, transportation, or circumstances beyond our control. Receipt of goods shall waive all claims of delay.

**\*NOTE:** Pricebook is not applicable for the country of India.

## Fire Sprinklers

<b>Residential</b>	
-- Pendent	4
-- Horizontal Sidewall	
-- Concealed – Two Piece Escutcheon	4
-- Concealed – The Inch Cover	5
-- Concealed – Domed Cover	5
-- Millennium™ Flush Pendent	5
<b>Commercial - Quick Response</b>	
-- Pendent	6
-- Upright	7
-- Horizontal Sidewall	8
-- Vertical Sidewall	8
-- Conventional	9
-- Concealed -- The Inch Adjustable Cover	10
-- Concealed -- Domed Cover	11
-- Concealed -- 3-Step Adjustable Cover	11
-- Millennium™ Pendent	12
<b>Commercial - Standard Response</b>	
-- Pendent	13
-- Upright	14
-- Horizontal Sidewall	15
-- Vertical Sidewall	16
-- Conventional	16
-- Concealed -- The Inch Adjustable Cover	17
-- Concealed -- Domed Cover	18
-- Concealed -- 3-Step Adjustable	18
<b>Extended Coverage</b>	
ECLH	
-- Pendent	19
-- Sidewall	20
-- Concealed Pendent - The Inch Adj. Flat Plate	21
-- Concealed Pendent - Pendent Domed Cover	22
-- Concealed Sidewall	22
ECOH	
-- Pendent, Upright	23
<b>Storage -- Quick Response</b>	
-- Pendent, Upright	24
-- Intermediate Pendent, Upright	24
<b>Storage -- Standard Response</b>	
-- Pendent, Upright	25
-- Intermediate Pendent, Intermediate Upright	26
<b>Dry Sprinklers -- Quick Response</b>	
-- Pendent	27
-- Upright	28
-- Horizontal Sidewall	29
-- Vertical Sidewall	30
-- Concealed - The Inch	31
-- Concealed - Flat Cover	32
-- Concealed - Domed Cover	33
<b>Dry Sprinklers -- Standard Response</b>	
-- Pendent	34
-- Upright	35
-- Horizontal Sidewall	36
-- Vertical Sidewall	37
-- Concealed - The Inch	38
-- Concealed - Flat Cover	39
-- Concealed - Domed Cover	40

## Special Applications

Interstitial Combustible (IC) -- Upright	41
High Pressure - QR	
-- Pendent	41
-- Upright	42
-- Concealed, Domed Cover	42
-- Concealed, 3-Step Adjustable Cover	43
High Pressure - SR	
-- Pendent	43
-- Upright	43
-- Concealed, Domed Cover	44
-- Concealed, 3-Step Adjustable Cover	45
Other	
-- Foam Nozzles	45
-- Window Sprinklers	46

## Sprinkler Accessories

<b>Escutcheons</b>	
-- Recessed	46
-- Standard	46
-- Seismic	47
<b>Cover Plates</b>	
-- Residential Concealed	47
-- 3-Step Adjustable Flat	48
-- Domed Adj. Concealed	48
-- "THE INCH" Adjustable	49
-- "THE INCH" Seismic	50
-- "THE INCH" Clean Room	50
<b>Other Accessories</b>	
-- Cabinets	50
-- Protective Caps	50
-- Wrenches	51
-- Guards	51

## Valves

<b>Wet Systems</b>	
-- H1 Alarm Check Valve 175 psi	52
-- H2 Alarm Check Valve 175 psi	52
-- H3 Alarm Check Valve 175 psi	53
-- H1, H2, H3 Valve Trim 175 psi	54
-- H2 Alarm Check Valve 300 psi	55
-- Check Valve 300 psi	56
-- ARV Adjustable Relief Valve	56
-- UMC Universal Manifold Check Valve	57
-- UTD Test and Drain	58
<b>Accessories</b>	
-- Retarding Chamber	58
-- Water Motor Gong	58
<b>RCW Valve &amp; Accessories</b>	
-- RCW Valve	59
-- Accessories	59
<b>RCW Systems</b>	
Deluge System -- RCW	60
Dry Pipe Systems -- RCW	61
Single Interlock Systems -- RCW	62
Double Interlock Systems -- RCW	63
Non-Interlock System -- RCW	64
<b>Butterfly Valves</b>	<b>65</b>
<b>Electronic Devices</b>	<b>66</b>

### Residential: Pendent

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL3010</b> k=3.0 (42 Metric) Thread=1/2" NPT	155°F (68°C)	Brass (01)	\$27.10
		Chrome (02)	\$25.50
		White Polyester (03)	\$25.50
		Black Polyester (04)	\$25.50
<b>GL4110</b> k=4.1 (58 Metric) Thread=1/2" NPT	155°F (68°C), 175°F (79°C)	Brass (01)	\$27.10
		Chrome (02)	\$25.50
		White Polyester (03)	\$25.50
		Black Polyester (04)	\$25.50
<b>GL4910</b> k=4.9 (68 Metric) Thread=1/2" NPT	155°F (68°C), 175°F (79°C)	Brass (01)	\$27.10
		Chrome (02)	\$27.10
		White Polyester (03)	\$27.10
		Black Polyester (04)	\$27.10
<b>GL5610</b> k=5.6 (80 Metric) Thread=1/2" NPT	155°F (68°C)	Brass (01)	\$27.10
		Chrome (02)	\$25.50
		White Polyester (03)	\$25.50
		Black Polyester (04)	\$25.50
<b>Wrench:</b> 325390 <b>Used for:</b> GL3010, GL4110, GL4910, GL5610			\$46.70
<b>Wrench (recessed):</b> 325391 <b>Used for:</b> GL3010, GL4110, GL4910, GL5610			\$65.20




Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (1/2" Adj. x 2 7/8" Diameter)  
**Used with:** GL3010, GL4110, GL4910, GL5610

Part No.	Finish	NPT	Price
332071	Chrome	1/2"	\$5.90
332073-W	White	1/2"	\$5.90
332073-B	Black	1/2"	\$5.90
332072	Brass	1/2"	\$5.90

### Residential: Horizontal Sidewall

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL4231</b> k=4.2 (59 Metric) Thread=1/2" NPT	155°F (68°C), 175°F (79°C)	Brass (01)	\$30.40
		Chrome (02)	\$30.40
		White Polyester (03)	\$30.40
		Black Polyester (04)	\$30.40
<b>GL4431</b> k=4.4 (62 Metric) Thread=1/2" NPT	155°F (68°C), 175°F (79°C)	Brass (01)	\$30.40
		Chrome (02)	\$30.40
		White Polyester (03)	\$30.40
		Black Polyester (04)	\$30.40
<b>Wrench:</b> 325390 <b>Used for:</b> GL4231, GL4431			\$46.70
<b>Wrench (recessed):</b> 327102 <b>Used for:</b> GL4231, GL4431			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL4231, GL4431


Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (1/2" Adj. x 2 7/8" Diameter)  
**Used with:** GL4231, GL4431

Part No.	Finish	NPT	Price
332071	Chrome	1/2"	\$5.90
332073-W	White	1/2"	\$5.90
332073-B	Black	1/2"	\$5.90
332072	Brass	1/2"	\$5.90

### Residential: Concealed With "The Inch" Cover Plate



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
GL4906 k=4.9 (68 Metric) Thread=1/2" NPT	155°F (68°C)	Brass (01)	\$32.60
<b>Wrench: 332765 Used for: GL4906</b>			\$65.20




Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable  
 Used with: GL4906

Part No.	Finish	Temp	For Use with	Price
332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70


**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Residential: Concealed With Domed Cover




To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
GL4147 k=4.1 (58 Metric) Thread=1/2" NPT	155°F (68°C)	Brass (01)	\$28.20
GL4947 k=4.9 (68 Metric) Thread=1/2" NPT	155°F (68°C)	Brass (01)	\$28.20
<b>Wrench: 325391 Used for: GL4147, GL4947</b>			\$65.20




### Residential: Millennium™ Flush Pendent



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
GL4248 k=4.1 (58 Metric) Thread=1/2" NPT	155°F (68°C)	White Polyester (03)	\$62.50
<b>Wrench: 332334 Used for: GL4248</b>			\$65.20



Escutcheon: Escutcheon for Millennium Pendent Sprinkler  
 Used with: GL4248

Part No.	Finish	Depth	Diameter	Price
332483-W	White	0.62"	2-9/16" (65mm)	\$3.80
332332-W	White	Flat	2-9/16" (65mm)	\$3.80
332342-W	White	Large	\$3.80	

**Commercial: Quick Response: Pendent**

To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL2801</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL4202</b> k=57 Metric Thread=10mm	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL4201</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL5601</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$23.90
		Chrome (02)	\$27.70
		White Polyester (03)	\$27.70
		Black Polyester (04)	\$27.70
<b>GL8101</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$41.30
		Chrome (02)	\$41.30
		White Polyester (03)	\$41.30
		Black Polyester (04)	\$41.30
<b>GL8106</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>Wrench: 325390 Used for: GL2801, GL4202, GL4201, GL5601</b>			\$46.70
<b>Wrench: 312366 Used for: GL8101, GL8106</b>			\$46.70
<b>Wrench (recessed): 325391 Used for: GL2801, GL4202, GL4201, GL5601</b>			\$65.20
<b>Wrench (recessed): 325401 Used for: GL8101, GL8106</b>			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL2801, GL4202, GL4201, GL5601, GL8101

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



Escutcheon: 2 Piece Seismic Recessed Escutcheon 1/2" NPT (3/4" Adj. x 4-1/2" Diameter)  
**Used with:** GL2801, GL4201, GL5601, GL8101

Part No.	Finish	NPT	Price
326170	Chrome	1/2"	\$7.80
326172-W	White	1/2"	\$7.80



Escutcheon: 2 Piece Seismic Recessed Escutcheon 1/2" NPT (1/2" Adj. x 4-1/2" Diameter)  
**Used with:** GL5601, GL8101

Part No.	Finish	NPT	Price
326201	Chrome	1/2"	\$7.80
326203-W	White	1/2"	\$7.80



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL8106

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90



Escutcheon: 2 Piece Seismic Recessed Escutcheon 3/4" NPT (3/4" Adj. x 4-1/2" Diameter)  
**Used with:** GL8106

Part No.	Finish	NPT	Price
326177	Chrome	3/4"	\$7.80
326179-W	White	3/4"	\$7.80



Escutcheon: 2 Piece Seismic Recessed Escutcheon 3/4" NPT (1/2" Adj. x 4-1/2" Diameter)  
**Used with:** GL8106

Part No.	Finish	NPT	Price
326208	Chrome	3/4"	\$7.80
326210-W	White	3/4"	\$7.80

### Commercial: Quick Response: Upright




To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL2815</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL4221</b> k=57 Metric Thread=10mm	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL4215</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>GL5615</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$23.90
		Chrome (02)	\$27.70
		White Polyester (03)	\$27.70
		Black Polyester (04)	\$27.70
<b>GL8115</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$41.30
		Chrome (02)	\$45.10
		White Polyester (03)	\$45.10
		Black Polyester (04)	\$45.10
<b>GL8118</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>Wrench: 325390 Used for: GL2815, GL4221, GL4215, GL5615</b>			\$46.70
<b>Wrench: 312366 Used for: GL8115, GL8118</b>			\$46.70

### Commercial: Quick Response: Horizontal Sidewall

To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code



Model	Temperature	Finish	Price
<b>GL2826</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$31.50
		Chrome (02)	\$35.30
		White Polyester (03)	\$35.30
		Black Polyester (04)	\$35.30
<b>GL4226</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$31.50
		Chrome (02)	\$35.30
		White Polyester (03)	\$35.30
		Black Polyester (04)	\$35.30
<b>GL5626</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$25.00
		Chrome (02)	\$28.80
		White Polyester (03)	\$28.80
		Black Polyester (04)	\$28.80
<b>GL8127</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$31.50
		Chrome (02)	\$35.30
		White Polyester (03)	\$35.30
		Black Polyester (04)	\$35.30
<b>Wrench: 325390 Used for: GL2826, GL4226, GL5626</b>			\$46.70
<b>Wrench: 312366 Used for: GL8127</b>			\$46.70
<b>Wrench (recessed): 325391 Used for: GL2826, GL4226, GL5626</b>			\$65.20
<b>Wrench (recessed): 325401 Used for: GL8127</b>			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
 Used with: GL2826, GL4226, GL5626

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90




Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
 Used with: GL8127

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90

### Commercial: Quick Response: Vertical Sidewall

To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code




Model	Temperature	Finish	Price
<b>GL5632</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$29.30
		Chrome (02)	\$33.10
		White Polyester (03)	\$33.10
		Black Polyester (04)	\$33.10
<b>GL8133</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$35.80
		Chrome (02)	\$39.60
		White Polyester (03)	\$39.60
		Black Polyester (04)	\$39.60
<b>Wrench: 325390 Used for: GL5632</b>			\$46.70
<b>Wrench: 312366 Used for: GL8133</b>			\$46.70




**Commercial: Quick Response: Conventional**

To create entire ordering number: **GLXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL5624</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$23.90
		Chrome (02)	\$27.70
		White Polyester (03)	\$27.70
		Black Polyester (04)	\$27.70
<b>GL8125</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$28.20
		Chrome (02)	\$32.00
		White Polyester (03)	\$32.00
		Black Polyester (04)	\$32.00
<b>Wrench: 325390 Used for: GL5624</b>			\$46.70
<b>Wrench: 312366 Used for: GL8125</b>			\$46.70

**Commercial: Quick Response: Concealed With "The Inch" Cover Plate**




To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5606</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$31.50
<b>Wrench: 332765 Used for: GL5606</b>			\$65.20



Cover: 135°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable  
**Used with: GL5606**

Part No.	Finish	Temp	For Use with	Price
332726	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332726-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332727	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332724	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70



Cover: 155°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable  
**Used with: GL5606**

Part No.	Finish	Temp	For Use with	Price
332731	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332731-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332732	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332729	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70




Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable  
**Used with: GL5606**

Part No.	Finish	Temp	For Use with	Price
332706	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332706-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332707	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332704	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70



Cover: 155°F The Inch Cover Plate, 3-5/16" (84mm), 1" Adjustable  
**Used with: GL5606**

Part No.	Finish	Temp	For Use with	Price
332711	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332711-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332712	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332709	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70



Cover: 135°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable  
**Used with: GL5606**

Part No.	Finish	Temp	For Use with	Price
332822	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332822-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332823	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332821	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00



Cover: 155°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable  
**Used with: GL5606**


Part No.	Finish	Temp	For Use with	Price
332828	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00
332828-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332829	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332827	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.


### Commercial: Quick Response: Concealed With Domed Cover

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp ↑ Finish Code



Model	Temperature	Finish	Price
<b>GL2845</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	P.O.A.
<b>GL4245</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$35.80
<b>GL8145</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$35.80
<b>Wrench: 325391 Used for: GL2845, GL4245</b>			\$65.20
<b>Wrench: 325401 Used for: GL8145</b>			\$65.20



Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
Used with: GL2845, GL4245, GL8145


Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Commercial: Quick Response: Concealed With 3-Step Adjustable Cover Plate

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp ↑ Finish Code



Model	Temperature	Finish	Price
<b>GL2804</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$35.80
<b>GL4204</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$35.80
<b>GL5604</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$27.10
<b>Wrench: 325391 Used for: GL2804, GL4204, GL5604</b>			\$65.20




Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)  
Used with: GL2804, GL4204, GL5604

Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

**Commercial: Quick Response: Millennium™ Flush Pendent**




To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL5650</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	White Polyester (03)	\$58.60
<b>Wrench: 332334 Used for: GL5650</b>			\$65.20

Optional Extension Ring




Escutcheon: Escutcheon for Millennium Pendent Sprinkler

Used with: GL5650

Part No.	Finish	Depth	Diameter	Price
332483-W	White	0.62"	2-9/16" (65mm)	\$3.80
332332-W	White	Flat	2-9/16" (65mm)	\$3.80
332342-W	White	Large	2-9/16" (65mm)	\$3.80

**Commercial: Standard Response: Pendent**

To create entire ordering number: GL **XXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code



Model	Temperature	Finish	Price
<b>GL2851</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL4252</b> k=57 Metric Thread=10mm	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$31.00

Add \$13.00 for 360°;

<b>GL4251</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL5651</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$13.50
		Chrome (02)	\$17.00
		White Polyester (03)	\$17.00
		Black Polyester (04)	\$17.00
		Wax Coated Brass (06)	\$26.60

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL8151</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$30.40
		Chrome (02)	\$34.20
		White Polyester (03)	\$34.20
		Black Polyester (04)	\$34.20
		Wax Coated Brass (06)	\$43.40

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL8156</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>Wrench:</b> 325390 <b>Used for:</b> GL2851, GL4252, GL4251, GL5651	\$46.70
<b>Wrench:</b> 312366 <b>Used for:</b> GL8151, GL8156	\$46.70
<b>Wrench (recessed):</b> 325391 <b>Used for:</b> GL2851, GL4252, GL4251, GL5651	\$65.20
<b>Wrench (recessed):</b> 325401 <b>Used for:</b> GL8151, GL8156	\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL2851, GL4252, GL4251, GL5651, GL8151

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



Escutcheon: 2 Piece Seismic Recessed Escutcheon 1/2" NPT (3/4" Adj. x 4-1/2" Diameter)  
**Used with:** GL2851, GL4251, GL5651, GL8151

Part No.	Finish	NPT	Price
326170	Chrome	1/2"	\$7.80
326172-W	White	1/2"	\$7.80



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL8156

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90



Escutcheon: 2 Piece Seismic Recessed Escutcheon 3/4" NPT (3/4" Adj. x 4-1/2" Diameter)  
**Used with:** GL8156

Part No.	Finish	NPT	Price
326177	Chrome	3/4"	\$7.80
326179-W	White	3/4"	\$7.80

**Commercial: Standard Response: Upright**


To create entire ordering number: **GLXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL2861</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL4262</b> k=57 Metric Thread=10mm	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$31.00
Add \$13.00 for 360°;			
<b>GL4261</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL5661</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$14.60
		Chrome (02)	\$18.40
		White Polyester (03)	\$18.40
		Black Polyester (04)	\$18.40
		Wax Coated Brass (06)	\$26.60
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8161</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$30.40
		Chrome (02)	\$34.20
		White Polyester (03)	\$34.20
		Black Polyester (04)	\$34.20
		Wax Coated Brass (06)	\$43.40
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8164</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.00
		Chrome (02)	\$22.80
		White Polyester (03)	\$22.80
		Black Polyester (04)	\$22.80
		Wax Coated Brass (06)	\$32.00
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>Wrench: 325390 Used for: GL2861, GL4262, GL4261, GL5661</b>			\$46.70
<b>Wrench: 312366 Used for: GL8161, GL8164</b>			\$46.70

### Commercial: Standard Response: Horizontal Sidewall

To create entire ordering number: **GLXXX15501**  
 SIN (w/o "GL")      Temp      Finish Code



Model	Temperature	Finish	Price
<b>GL2870</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$26.00
		Chrome (02)	\$29.80
		White Polyester (03)	\$29.80
		Black Polyester (04)	\$29.80
		Wax Coated Brass (06)	\$38.00

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL4270</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$26.00
		Chrome (02)	\$26.00
		White Polyester (03)	\$26.00
		Black Polyester (04)	\$26.00
		Wax Coated Brass (06)	\$39.10

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL5670</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.50
		Chrome (02)	\$23.30
		White Polyester (03)	\$23.30
		Black Polyester (04)	\$23.30
		Wax Coated Brass (06)	\$32.60

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>GL8171</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$21.70
		Chrome (02)	\$29.80
		White Polyester (03)	\$29.80
		Black Polyester (04)	\$29.80
		Wax Coated Brass (06)	\$39.10

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>Wrench: 325390 Used for: GL2870, GL4270, GL5670</b>	\$46.70
<b>Wrench: 312366 Used for: GL8171</b>	\$46.70
<b>Wrench (recessed): 325391 Used for: GL2870, GL4270, GL5670</b>	\$65.20
<b>Wrench (recessed): 325401 Used for: GL8171</b>	\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
 Used with: GL2870, GL4270, GL5670

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90




Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
 Used with: GL8171

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90

### Commercial: Standard Response: Vertical Sidewall

To create entire ordering number: **GLXXX15501**

SIN (w/o "GL") → Temp → Finish Code




Model	Temperature	Finish	Price
<b>GL5675</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$23.90
		Chrome (02)	\$27.70
		White Polyester (03)	\$27.70
		Black Polyester (04)	\$27.70
		Wax Coated Brass (06)	\$36.90
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8176</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$30.40
		Chrome (02)	\$34.20
		White Polyester (03)	\$34.20
		Black Polyester (04)	\$34.20
		Wax Coated Brass (06)	\$42.40
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>Wrench: 325390 Used for: GL5675</b>			\$46.70
<b>Wrench: 312366 Used for: GL8176</b>			\$46.70

### Commercial: Standard Response: Conventional

To create entire ordering number: **GLXXX15501**


SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL5668</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$19.50
		Chrome (02)	\$23.30
		White Polyester (03)	\$23.30
		Black Polyester (04)	\$23.30
		Wax Coated Brass (06)	\$32.60
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8169</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$21.70
		Chrome (02)	\$25.50
		White Polyester (03)	\$25.50
		Black Polyester (04)	\$25.50
		Wax Coated Brass (06)	\$33.70
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>Wrench: 325390 Used for: GL5668</b>			\$46.70
<b>Wrench: 312366 Used for: GL8169</b>			\$46.70



**Commercial: Standard Response: Concealed With "The Inch" Cover Plate**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code


Model	Temperature	Finish	Price
<b>GL5653</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.10
<b>Wrench: 332765 Used for: GL5653</b>			\$65.20



Cover: 135°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable

Used with: GL5653


Part No.	Finish	Temp	For Use with	Price
332726	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332726-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332727	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332724	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70



Cover: 155°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable

Used with: GL5653


Part No.	Finish	Temp	For Use with	Price
332731	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332731-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332732	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332729	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70



Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable

Used with: GL5653


Part No.	Finish	Temp	For Use with	Price
332706	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332706-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332707	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332704	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70



Cover: 155°F The Inch Cover Plate, 3-5/16" (84mm), 1" Adjustable

Used with: GL5653


Part No.	Finish	Temp	For Use with	Price
332711	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332711-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332712	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332709	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70



Cover: The Inch Cover Plate with Clean Room Seal; 2-3/4" plate with 3-3/8" gasket

Used with: GL5653

Part No.	Finish	Temp	For Use with	Price
332737	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$108.60
332741	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$108.60



Cover: 135°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable

Used with: GL5653

Part No.	Finish	Temp	For Use with	Price
332822	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332822-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332823	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332821	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00



Cover: 155°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable

Used with: GL5653


Part No.	Finish	Temp	For Use with	Price
332828	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00
332828-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332829	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332827	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.


### Commercial: Standard Response: Concealed With Domed Cover

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL2856</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.70
<b>GL4256</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.70
<b>GL8173</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.70
<b>Wrench: 325391 Used for: GL2856, GL4256, GL8173</b>			\$65.20



Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
Used with: GL2856, GL4256, GL8173


Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Commercial: Standard Response: Concealed With 3-Step Adjustable Cover Plate

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL2854</b> k=2.8 (39 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.70
<b>GL4254</b> k=4.2 (59 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$21.70
<b>GL5654</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$16.30
<b>Wrench: 325391 Used for: GL2854, GL4254, GL5654</b>			\$65.20



Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)  
Used with: GL2854, GL4254, GL5654

Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

**Extended Coverage: ECLH: Pendent**

To create entire ordering number: **GLXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL5614</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$55.00
		Chrome (02)	\$58.80
		White Polyester (03)	\$58.80
		Black Polyester (04)	\$58.80
<b>GL8109</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$43.40
		Chrome (02)	\$47.20
		White Polyester (03)	\$47.20
		Black Polyester (04)	\$47.20
<b>GL8159</b> k=8.0 Thread=3/4" NPT Std. Response	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$34.70
		Chrome (02)	\$38.50
		White Polyester (03)	\$38.50
		Black Polyester (04)	\$38.50
<b>GL1112</b> k=11.2 (160 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C)	Brass (01)	\$97.45
		Chrome (02)	\$97.45
		White Polyester (03)	\$97.45
		Black Polyester (04)	\$97.45
<b>Wrench: 325390 Used for: GL5614</b>			\$46.70
<b>Wrench: 312366 Used for: GL8109, GL8159</b>			\$46.70
<b>Wrench: 333010 Used for: GL1112</b>			\$46.70
<b>Wrench (recessed): 325391 Used for: GL5614</b>			\$65.20
<b>Wrench (recessed): 325401 Used for: GL8109, GL8159</b>			\$65.20
<b>Wrench (recessed): 333011 Used for: GL1112</b>			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with: GL5614**

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with: GL8109, GL1112**

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90



Escutcheon: 2 Piece Seismic Recessed Escutcheon 3/4" NPT (3/4" Adj. x 4-1/2" Diameter)  
**Used with: GL8109**

Part No.	Finish	NPT	Price
326177	Chrome	3/4"	\$7.80
326179-W	White	3/4"	\$7.80




Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (1/2" Adj. x 2 7/8" Diameter); 1/2" Adjustable  
**Used with: GL1112**

Part No.	Finish	NPT	Price
326040	Chrome	3/4"	\$5.90
326042-W	White	3/4"	\$5.90
326042-B	Black	3/4"	P.O.A.
326041	Brass	3/4"	\$5.90

**Extended Coverage: ECLH: Sidewall**

To create entire ordering number: **GLXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL5628</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$32.00
		Chrome (02)	\$35.80
		White Polyester (03)	\$35.80
		Black Polyester (04)	\$35.80
<b>GL8128</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$34.20
		Chrome (02)	\$38.00
		White Polyester (03)	\$38.00
		Black Polyester (04)	\$38.00
<b>GL8129</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$34.20
		Chrome (02)	\$38.00
		White Polyester (03)	\$38.00
		Black Polyester (04)	\$38.00
<b>GL8174</b> k=8.0 Thread=3/4" NPT	135°F (57°C)	Brass (01)	\$34.20
		Chrome (02)	\$38.00
		White Polyester (03)	\$38.00
		Black Polyester (04)	\$38.00
<b>Wrench: 325390 Used for: GL5628</b>			\$46.70
<b>Wrench: 312366 Used for: GL8128, GL8129, GL8174</b>			\$46.70
<b>Wrench (recessed): 325391 Used for: GL5628</b>			\$65.20
<b>Wrench (recessed): 325401 Used for: GL8128, GL8129, GL8174</b>			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with: GL5628**

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with: GL8128, GL8129, GL8174**


Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (1/2" Adj. x 2 7/8" Diameter); 1/2" Adjustable  
**Used with: GL8128, GL8129**

Part No.	Finish	NPT	Price
326040	Chrome	3/4"	\$5.90
326042-W	White	3/4"	\$5.90
326042-B	Black	3/4"	P.O.A.
326041	Brass	3/4"	\$5.90


**Extended Coverage: ECLH: "THE INCH" Concealed Pendent**



To create entire ordering number: **GLXXXX15501**


SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5603</b>	135°F (57°C), 155°F (68°C), 175°F (79°C)	Brass (01)	\$55.00
k=5.6 (80 Metric) Thread=1/2" NPT			
<b>Wrench: 332765 Used for: GL5603</b>			\$65.20



Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable  
Used with: GL5603

Part No.	Finish	Temp	For Use with	Price
332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70




Cover: 155°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable  
Used with: GL5603

Part No.	Finish	Temp	For Use with	Price
332898	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332898-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332899	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
332897	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Extended Coverage: ECLH: Domed Concealed Pendent



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL8104</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$38.00
<b>Wrench: 325401 Used for: GL8104</b>			\$65.20




Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
**Used with: GL8104**

Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70


**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Extended Coverage: ECLH: Concealed Sidewall



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL5613</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C)	Brass (01)	\$35.30
<b>GL8113</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C)	Brass (01)	\$40.20
<b>GL8114</b> k=8.0 Thread=3/4" NPT	135°F (57°C)	Brass (01)	\$40.20
<b>Wrench: 329678 Used for: GL5613</b>			\$65.20
<b>Wrench: 329679 Used for: GL8113, GL8114</b>			\$65.20



Cover: Domed Cover Plate for HSW Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
**Used with: GL5613, GL8113, GL8114**

Part No.	Finish	Temp	For Use with	Price
329491	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
329491-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
329492	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
329489	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
329497	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
329497-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
329498	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
329495	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Extended Coverage: ECOH: Pendent



To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL1113</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$97.45
k=11.2 (160 Metric)		Chrome (02)	\$102.00
Thread=3/4" NPT		White Polyester (03)	\$102.00
		Black Polyester (04)	\$102.00
<b>Wrench: 333010 Used for: GL1113</b>			\$46.70
<b>Wrench (recessed): 333011 Used for: GL1113</b>			\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
Used with: GL1113

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90

### Extended Coverage: ECOH: Upright



To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL1121</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$97.45
k=11.2 (160 Metric)		Chrome (02)	\$102.00
Thread=3/4" NPT		White Polyester (03)	\$102.00
		Black Polyester (04)	\$102.00
<b>Wrench: 333010 Used for: GL1121</b>			\$46.70

### Storage: Quick Response: Pendent



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL1114</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$50.00
k=11.2 (160 Metric) Thread=3/4" NPT		Chrome (02)	\$53.80
		White Polyester (03)	\$53.80
		Black Polyester (04)	\$53.80
<b>Wrench: 333010 Used for: GL1114</b>			\$46.70


### Storage: Quick Response: Upright



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL1123</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$50.00
k=11.2 (160 Metric) Thread=3/4" NPT		Chrome (02)	\$53.80
		White Polyester (03)	\$53.80
		Black Polyester (04)	\$53.80
<b>Wrench: 333010 Used for: GL1123</b>			\$46.70


### Storage: Quick Response: Intermediate Level Pendent



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL5601</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$44.50 Add Suffix 'R' to Order No.
k=5.6 (80 Metric) Thread=1/2" NPT			
<b>GL8101</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
k=8.0 Thread=1/2" NPT			
<b>GL8106</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$48.90 Add Suffix 'R' to Order No.
k=8.0 Thread=3/4" NPT			
<b>GL1114</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$78.70 Add Suffix 'R' to Order No.
k=11.2 (160 Metric) Thread=3/4" NPT			
<b>Wrench: 325390 Used for: GL5601</b>			\$46.70
<b>Wrench: 312366 Used for: GL8101, GL8106</b>			\$46.70
<b>Wrench: 333010 Used for: GL1114</b>			\$46.70

### Storage: Quick Response: Intermediate Level Upright



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code

Model	Temperature	Finish	Price
<b>GL5617</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$44.50
k=5.6 (80 Metric) Thread=1/2" NPT			
<b>GL8117</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$61.90
k=8.0 Thread=1/2" NPT			
<b>GL8120</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$48.90
k=8.0 Thread=3/4" NPT			
<b>GL1124</b>	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$78.70
k=11.2 (160 Metric) Thread=3/4" NPT			
<b>Wrench: 325390 Used for: GL5617</b>			\$46.70
<b>Wrench: 312366 Used for: GL8117, GL8120</b>			\$46.70
<b>Wrench: 333010 Used for: GL1124</b>			\$46.70



**Storage: Standard Response: Pendent**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL1160</b> k=11.2 (160 Metric) Thread=3/4" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$37.50
		Chrome (02)	\$41.30
		White Polyester (03)	\$41.30
		Black Polyester (04)	\$41.30
<b>Wrench: 333010 Used for: GL1160</b>			\$46.70

**Storage: Standard Response: Upright**




To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL1167</b> k=11.2 (160 Metric) Thread=3/4" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$37.50
		Chrome (02)	\$41.30
		White Polyester (03)	\$41.30
		Black Polyester (04)	\$41.30
<b>Wrench: 333010 Used for: GL1167</b>			\$46.70

### Storage: Standard Response: Intermediate Level Pendent


To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL5651</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8151</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8156</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL1160</b> k=11.2 (160 Metric) Thread=3/4" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
<b>Wrench: 325390 Used for: GL5651</b>			\$46.70
<b>Wrench: 312366 Used for: GL8151, GL8156</b>			\$46.70
<b>Wrench: 333010 Used for: GL1160</b>			\$46.70

### Storage: Standard Response: Intermediate Level Upright

To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL")    Temp    Finish Code



Model	Temperature	Finish	Price
<b>GL5663</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$36.90
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8163</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$51.00
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8166</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$40.20
Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL1168</b> k=11.2 (160 Metric) Thread=3/4" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$67.70
<b>Wrench: 325390 Used for: GL5663</b>			\$46.70
<b>Wrench: 312366 Used for: GL8163, GL8166</b>			\$46.70
<b>Wrench: 333010 Used for: GL1168</b>			\$46.70

### Dry Sprinklers: Quick Response: Pendent

Following sprinklers are available as:



Recessed: Brass (51); Chrome (52); Chrome/White (55); White (53); Black (54)

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment


Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment

Model	Temperature	Length	Price
<b>GL5635</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$145.10
		6 1/4" to 9"	\$154.30
		9 1/4" to 12"	\$163.50
		12 1/4" to 15"	\$172.80
		15 1/4" to 18"	\$182.00
		18 1/4" to 21"	\$191.30
		21 1/4" to 24"	\$200.50
		24 1/4" to 27"	\$209.70
		27 1/4" to 30"	\$219.00
		30 1/4" to 33"	\$228.20
		33 1/4" to 36"	\$237.50
		36 1/4" to 39"	\$246.70
		39 1/4" to 42"	\$255.90
		42 1/4" to 45"	\$265.20
45 1/4" to 48"	\$274.40		
<b>GL5636</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$166.80
		6 1/4" to 9"	\$177.70
		9 1/4" to 12"	\$188.50
		12 1/4" to 15"	\$199.40
		15 1/4" to 18"	\$210.30
		18 1/4" to 21"	\$221.10
		21 1/4" to 24"	\$232.00
		24 1/4" to 27"	\$242.90
		27 1/4" to 30"	\$253.80
		30 1/4" to 33"	\$264.60
		33 1/4" to 36"	\$275.50
		36 1/4" to 39"	\$286.40
		39 1/4" to 42"	\$297.20
		42 1/4" to 45"	\$308.10
45 1/4" to 48"	\$319.00		
<b>GL8135</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$166.80
		6 1/4" to 9"	\$177.70
		9 1/4" to 12"	\$188.50
		12 1/4" to 15"	\$199.40
		15 1/4" to 18"	\$210.30
		18 1/4" to 21"	\$221.10
		21 1/4" to 24"	\$232.00
		24 1/4" to 27"	\$242.90
		27 1/4" to 30"	\$253.80
		30 1/4" to 33"	\$264.60
		33 1/4" to 36"	\$275.50
		36 1/4" to 39"	\$286.40
		39 1/4" to 42"	\$297.20
		42 1/4" to 45"	\$308.10
45 1/4" to 48"	\$319.00		
<b>Wrench: 333010 Used for: GL5635, GL5636, GL8135</b>			\$46.70
<b>Wrench (recessed): 337014 Used for: GL5635, GL5636, GL8135</b>			\$65.20



### Dry Sprinklers: Quick Response: Upright

Model	Temperature	Length	Price
<b>GL5639</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$163.50
		6 1/4" to 9"	\$172.80
		9 1/4" to 12"	\$182.00
		12 1/4" to 15"	\$191.30
		15 1/4" to 18"	\$200.50
		18 1/4" to 21"	\$209.70
		21 1/4" to 24"	\$219.00
		24 1/4" to 27"	\$228.20
		27 1/4" to 30"	\$237.50
		30 1/4" to 33"	\$246.70
		33 1/4" to 36"	\$255.90
		36 1/4" to 39"	\$265.20
		39 1/4" to 42"	\$274.40
		42 1/4" to 45"	\$283.60
45 1/4" to 48"	\$292.90		
<b>GL5640</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$188.50
		6 1/4" to 9"	\$199.40
		9 1/4" to 12"	\$210.30
		12 1/4" to 15"	\$221.10
		15 1/4" to 18"	\$232.00
		18 1/4" to 21"	\$242.90
		21 1/4" to 24"	\$253.80
		24 1/4" to 27"	\$264.60
		27 1/4" to 30"	\$275.50
		30 1/4" to 33"	\$286.40
		33 1/4" to 36"	\$297.20
		36 1/4" to 39"	\$308.10
		39 1/4" to 42"	\$319.00
		42 1/4" to 45"	\$329.80
45 1/4" to 48"	\$340.70		
<b>GL8139</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$188.50
		6 1/4" to 9"	\$199.40
		9 1/4" to 12"	\$210.30
		12 1/4" to 15"	\$221.10
		15 1/4" to 18"	\$232.00
		18 1/4" to 21"	\$242.90
		21 1/4" to 24"	\$253.80
		24 1/4" to 27"	\$264.60
		27 1/4" to 30"	\$275.50
		30 1/4" to 33"	\$286.40
		33 1/4" to 36"	\$297.20
		36 1/4" to 39"	\$308.10
		39 1/4" to 42"	\$319.00
		42 1/4" to 45"	\$329.80
45 1/4" to 48"	\$340.70		
<b>Wrench: 333010 Used for: GL5639, GL5640, GL8139</b>			<b>\$46.70</b>



### Dry Sprinklers: Quick Response: Horizontal Sidewall



Following sprinklers are available as:





Recessed: Brass (51); Chrome (52); Chrome/White (55); White (53); Black (54)

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment

Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment

Model	Temperature	Length	Price
<b>GL5641</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$154.30
		6 1/4" to 9"	\$163.50
		9 1/4" to 12"	\$172.80
		12 1/4" to 15"	\$182.00
		15 1/4" to 18"	\$191.30
		18 1/4" to 21"	\$200.50
		21 1/4" to 24"	\$209.70
		24 1/4" to 27"	\$219.00
		27 1/4" to 30"	\$228.20
		30 1/4" to 33"	\$237.50
		33 1/4" to 36"	\$246.70
		36 1/4" to 39"	\$255.90
		39 1/4" to 42"	\$265.20
42 1/4" to 45"	\$274.40		
45 1/4" to 48"	\$283.60		
 <b>GL5642</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.50
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.10
		18 1/4" to 21"	\$232.00
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.60
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.20
		39 1/4" to 42"	\$308.10
42 1/4" to 45"	\$319.00		
45 1/4" to 48"	\$329.80		
 <b>GL8141</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.50
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.10
		18 1/4" to 21"	\$232.00
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.60
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.20
		39 1/4" to 42"	\$308.10
42 1/4" to 45"	\$319.00		
45 1/4" to 48"	\$329.80		
<b>Wrench: 333010 Used for: GL5641, GL5642, GL8141</b>			\$46.70
<b>Wrench (recessed): 337014 Used for: GL5641, GL5642, GL8141</b>			\$65.20



## Dry Sprinklers: Quick Response: Vertical Sidewall



Following sprinklers are available as:

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment


Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment

Model	Temperature	Length	Price
<b>GL5643</b> k=5.6 (80 Metric) Thread=1" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$163.50
		6 1/4" to 9"	\$172.80
		9 1/4" to 12"	\$182.00
		12 1/4" to 15"	\$191.30
		15 1/4" to 18"	\$200.50
		18 1/4" to 21"	\$209.70
		21 1/4" to 24"	\$219.00
		24 1/4" to 27"	\$228.20
		27 1/4" to 30"	\$237.50
		30 1/4" to 33"	\$246.70
		33 1/4" to 36"	\$255.90
		36 1/4" to 39"	\$265.20
		39 1/4" to 42"	\$274.40
		42 1/4" to 45"	\$283.60
45 1/4" to 48"	\$292.90		
<b>GL5644</b> k=5.6 (80 Metric) Thread=3/4" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$188.50
		6 1/4" to 9"	\$199.40
		9 1/4" to 12"	\$210.30
		12 1/4" to 15"	\$221.10
		15 1/4" to 18"	\$232.00
		18 1/4" to 21"	\$242.90
		21 1/4" to 24"	\$253.80
		24 1/4" to 27"	\$264.60
		27 1/4" to 30"	\$275.50
		30 1/4" to 33"	\$286.40
		33 1/4" to 36"	\$297.20
		36 1/4" to 39"	\$308.10
		39 1/4" to 42"	\$319.00
		42 1/4" to 45"	\$329.80
45 1/4" to 48"	\$340.70		
<b>GL8143</b> k=8.0 Thread=1" NPT	155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$188.50
		6 1/4" to 9"	\$199.40
		9 1/4" to 12"	\$210.30
		12 1/4" to 15"	\$221.10
		15 1/4" to 18"	\$232.00
		18 1/4" to 21"	\$242.90
		21 1/4" to 24"	\$253.80
		24 1/4" to 27"	\$264.60
		27 1/4" to 30"	\$275.50
		30 1/4" to 33"	\$286.40
		33 1/4" to 36"	\$297.20
		36 1/4" to 39"	\$308.10
		39 1/4" to 42"	\$319.00
		42 1/4" to 45"	\$329.80
45 1/4" to 48"	\$340.70		
<b>Wrench: 333010 Used for: GL5643, GL5644, GL8143</b>			<b>\$46.70</b>




**Dry Sprinklers: Quick Response: Concealed with "The Inch" Adjustable Flat Plate Cover**

Model	Temperature	Length	Price
<b>GL5634</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$188.90
		6 1/4" to 9"	\$200.40
		9 1/4" to 12"	\$212.00
		12 1/4" to 15"	\$223.50
		15 1/4" to 18"	\$235.00
		18 1/4" to 21"	\$246.70
		21 1/4" to 24"	\$258.20
		24 1/4" to 27"	\$269.80
		27 1/4" to 30"	\$281.30
		30 1/4" to 33"	\$292.80
		33 1/4" to 36"	\$304.40
		36 1/4" to 39"	\$315.90
		39 1/4" to 42"	\$327.40
		42 1/4" to 45"	\$339.00
45 1/4" to 48"	\$350.50		
<b>GL8134</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$222.20
		6 1/4" to 9"	\$235.80
		9 1/4" to 12"	\$249.30
		12 1/4" to 15"	\$262.90
		15 1/4" to 18"	\$276.50
		18 1/4" to 21"	\$290.20
		21 1/4" to 24"	\$303.70
		24 1/4" to 27"	\$317.20
		27 1/4" to 30"	\$330.90
		30 1/4" to 33"	\$344.40
		33 1/4" to 36"	\$358.00
		36 1/4" to 39"	\$371.70
		39 1/4" to 42"	\$385.20
		42 1/4" to 45"	\$398.80
45 1/4" to 48"	\$412.40		
<b>Wrench: 337014 Used for: GL5634, GL8134</b>			<b>\$65.20</b>



Part No.	Finish	Temp	For Use with	Price
Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable Used with: GL5634, GL8134				
332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70




Part No.	Finish	Temp	For Use with	Price
Cover: 155°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable Used with: GL5634, GL8134				
332898	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332898-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332899	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
332897	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Dry Sprinklers: Quick Response: Concealed w/3-Step Flat Cover Plate

Model	Temperature	Length	Price
<b>GL5637</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$151.10
		6 1/4" to 9"	\$160.30
		9 1/4" to 12"	\$169.60
		12 1/4" to 15"	\$178.80
		15 1/4" to 18"	\$188.00
		18 1/4" to 21"	\$197.30
		21 1/4" to 24"	\$206.50
		24 1/4" to 27"	\$215.80
		27 1/4" to 30"	\$225.00
		30 1/4" to 33"	\$234.20
		33 1/4" to 36"	\$243.50
		36 1/4" to 39"	\$252.70
		39 1/4" to 42"	\$261.90
		42 1/4" to 45"	\$271.20
45 1/4" to 48"	\$280.40		
<b>GL5638</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.60
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.20
		18 1/4" to 21"	\$232.10
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.70
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.30
		39 1/4" to 42"	\$308.10
		42 1/4" to 45"	\$319.00
45 1/4" to 48"	\$329.90		
<b>GL8137</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.60
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.20
		18 1/4" to 21"	\$232.10
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.70
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.30
		39 1/4" to 42"	\$308.10
		42 1/4" to 45"	\$319.00
45 1/4" to 48"	\$329.90		
<b>Wrench: 337014 Used for: GL5637, GL5638, GL8137</b>			\$65.20



Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)  
 Used with: GL5637, GL5638, GL8137


Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.



## Dry Sprinklers: Quick Response: Concealed w/Domed Cover

Model	Temperature	Length	Price
GL5649 k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$151.10
		6 1/4" to 9"	\$160.30
		9 1/4" to 12"	\$169.60
		12 1/4" to 15"	\$178.80
		15 1/4" to 18"	\$188.00
		18 1/4" to 21"	\$197.30
		21 1/4" to 24"	\$206.50
		24 1/4" to 27"	\$215.80
		27 1/4" to 30"	\$225.00
		30 1/4" to 33"	\$234.20
		33 1/4" to 36"	\$243.50
		36 1/4" to 39"	\$252.70
		39 1/4" to 42"	\$261.90
		42 1/4" to 45"	\$271.20
		45 1/4" to 48"	\$280.40



GL5622 k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.60
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.20
		18 1/4" to 21"	\$232.10
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.70
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.30
		39 1/4" to 42"	\$308.10
		42 1/4" to 45"	\$319.00
		45 1/4" to 48"	\$329.90

GL8149 k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$177.70
		6 1/4" to 9"	\$188.60
		9 1/4" to 12"	\$199.40
		12 1/4" to 15"	\$210.30
		15 1/4" to 18"	\$221.20
		18 1/4" to 21"	\$232.10
		21 1/4" to 24"	\$242.90
		24 1/4" to 27"	\$253.80
		27 1/4" to 30"	\$264.70
		30 1/4" to 33"	\$275.50
		33 1/4" to 36"	\$286.40
		36 1/4" to 39"	\$297.30
		39 1/4" to 42"	\$308.10
		42 1/4" to 45"	\$319.00
		45 1/4" to 48"	\$329.90

**Wrench:** 337014 **Used for:** GL5649, GL5622, GL8149 \$65.20



Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
Used with: GL5649, GL5622, GL8149

Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

## Dry Sprinklers: Standard Response: Pendent


Following sprinklers are available as:

Recessed: Brass (51); Chrome (52); Chrome/White (55); White (53); Black (54)

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment


Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment



Model	Temperature	Length	Price
<b>GL5679</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$130.40
		6 1/4" to 9"	\$139.60
		9 1/4" to 12"	\$148.90
		12 1/4" to 15"	\$158.10
		15 1/4" to 18"	\$167.30
		18 1/4" to 21"	\$176.60
		21 1/4" to 24"	\$185.80
		24 1/4" to 27"	\$195.10
		27 1/4" to 30"	\$204.30
		30 1/4" to 33"	\$213.50
		33 1/4" to 36"	\$222.80
		36 1/4" to 39"	\$232.00
		39 1/4" to 42"	\$241.30
		42 1/4" to 45"	\$250.50
		45 1/4" to 48"	\$259.70
<b>GL5680</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$152.10
		6 1/4" to 9"	\$163.00
		9 1/4" to 12"	\$173.90
		12 1/4" to 15"	\$184.70
		15 1/4" to 18"	\$195.60
		18 1/4" to 21"	\$206.50
		21 1/4" to 24"	\$217.30
		24 1/4" to 27"	\$228.20
		27 1/4" to 30"	\$239.10
		30 1/4" to 33"	\$250.00
		33 1/4" to 36"	\$260.80
		36 1/4" to 39"	\$271.70
		39 1/4" to 42"	\$282.60
		42 1/4" to 45"	\$293.40
		45 1/4" to 48"	\$304.30
<b>GL8179</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$152.10
		6 1/4" to 9"	\$163.00
		9 1/4" to 12"	\$173.90
		12 1/4" to 15"	\$184.70
		15 1/4" to 18"	\$195.60
		18 1/4" to 21"	\$206.50
		21 1/4" to 24"	\$217.30
		24 1/4" to 27"	\$228.20
		27 1/4" to 30"	\$239.10
		30 1/4" to 33"	\$250.00
		33 1/4" to 36"	\$260.80
		36 1/4" to 39"	\$271.70
		39 1/4" to 42"	\$282.60
		42 1/4" to 45"	\$293.40
		45 1/4" to 48"	\$304.30
<b>Wrench: 333010 Used for: GL5679, GL5680, GL8179</b>			\$46.70
<b>Wrench (recessed): 337014 Used for: GL5679, GL5680, GL8179</b>			\$65.20

**Dry Sprinklers: Standard Response: Upright**

Model	Temperature	Length	Price
<b>GL5683</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$148.90
		6 1/4" to 9"	\$158.10
		9 1/4" to 12"	\$167.30
		12 1/4" to 15"	\$176.60
		15 1/4" to 18"	\$185.80
		18 1/4" to 21"	\$195.10
		21 1/4" to 24"	\$204.30
		24 1/4" to 27"	\$213.50
		27 1/4" to 30"	\$222.80
		30 1/4" to 33"	\$232.00
		33 1/4" to 36"	\$241.30
		36 1/4" to 39"	\$250.50
		39 1/4" to 42"	\$259.70
		42 1/4" to 45"	\$269.00
45 1/4" to 48"	\$278.20		
<b>GL5684</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$173.90
		6 1/4" to 9"	\$184.70
		9 1/4" to 12"	\$195.60
		12 1/4" to 15"	\$206.50
		15 1/4" to 18"	\$217.30
		18 1/4" to 21"	\$228.20
		21 1/4" to 24"	\$239.10
		24 1/4" to 27"	\$250.00
		27 1/4" to 30"	\$260.80
		30 1/4" to 33"	\$271.70
		33 1/4" to 36"	\$282.60
		36 1/4" to 39"	\$293.40
		39 1/4" to 42"	\$304.30
		42 1/4" to 45"	\$315.20
45 1/4" to 48"	\$326.00		
<b>GL8183</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$173.90
		6 1/4" to 9"	\$184.70
		9 1/4" to 12"	\$195.60
		12 1/4" to 15"	\$206.50
		15 1/4" to 18"	\$217.30
		18 1/4" to 21"	\$228.20
		21 1/4" to 24"	\$239.10
		24 1/4" to 27"	\$250.00
		27 1/4" to 30"	\$260.80
		30 1/4" to 33"	\$271.70
		33 1/4" to 36"	\$282.60
		36 1/4" to 39"	\$293.40
		39 1/4" to 42"	\$304.30
		42 1/4" to 45"	\$315.20
45 1/4" to 48"	\$326.00		
<b>Wrench: 333010 Used for: GL5683, GL5684, GL8183</b>			\$46.70



## Dry Sprinklers: Standard Response: Horizontal Sidewall

Following sprinklers are available as:


Recessed: Brass (51); Chrome (52); Chrome/White (55); White (53); Black (54)

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment

Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment

Model	Temperature	Length	Price
<b>GL5685</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$139.60
		6 1/4" to 9"	\$148.90
		9 1/4" to 12"	\$158.10
		12 1/4" to 15"	\$167.30
		15 1/4" to 18"	\$176.60
		18 1/4" to 21"	\$185.80
		21 1/4" to 24"	\$195.10
		24 1/4" to 27"	\$204.30
		27 1/4" to 30"	\$213.50
		30 1/4" to 33"	\$222.80
		33 1/4" to 36"	\$232.00
<b>GL5686</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$163.00
		6 1/4" to 9"	\$173.90
		9 1/4" to 12"	\$184.70
		12 1/4" to 15"	\$195.60
		15 1/4" to 18"	\$206.50
		18 1/4" to 21"	\$217.30
		21 1/4" to 24"	\$228.20
		24 1/4" to 27"	\$239.10
		27 1/4" to 30"	\$250.00
		30 1/4" to 33"	\$260.80
		33 1/4" to 36"	\$271.70
<b>GL8185</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$163.00
		6 1/4" to 9"	\$173.90
		9 1/4" to 12"	\$184.70
		12 1/4" to 15"	\$195.60
		15 1/4" to 18"	\$206.50
		18 1/4" to 21"	\$217.30
		21 1/4" to 24"	\$228.20
		24 1/4" to 27"	\$239.10
		27 1/4" to 30"	\$250.00
		30 1/4" to 33"	\$260.80
		33 1/4" to 36"	\$271.70
36 1/4" to 39"	\$282.60		
39 1/4" to 42"	\$293.40		
42 1/4" to 45"	\$304.30		
45 1/4" to 48"	\$315.20		
<b>Wrench: 333010 Used for: GL5685, GL5686, GL8185</b>			\$46.70
<b>Wrench (recessed): 337014 Used for: GL5685, GL5686, GL8185</b>			\$65.20



## Dry Sprinklers: Standard Response: Vertical Sidewall

Following sprinklers are available as:



Flush/Split: Brass (01)

Non-Adjustable Flush: Brass (61); Chrome (62); White (63); Black (64)

Extended: Brass (81); Chrome (82); White (83); Black (84) - 1-1/4" adjustment


Sleeve/Skirt: Brass (71); Chrome (72); White (73); Black (74) - 1-1/2" adjustment



Model	Temperature	Length	Price
<b>GL5687</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$148.90
		6 1/4" to 9"	\$158.10
		9 1/4" to 12"	\$167.30
		12 1/4" to 15"	\$176.60
		15 1/4" to 18"	\$185.80
		18 1/4" to 21"	\$195.10
		21 1/4" to 24"	\$204.30
		24 1/4" to 27"	\$213.50
		27 1/4" to 30"	\$222.80
		30 1/4" to 33"	\$232.00
		33 1/4" to 36"	\$241.30
		36 1/4" to 39"	\$250.50
		39 1/4" to 42"	\$259.70
		42 1/4" to 45"	\$269.00
45 1/4" to 48"	\$278.20		
<b>GL5688</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$173.90
		6 1/4" to 9"	\$184.70
		9 1/4" to 12"	\$195.60
		12 1/4" to 15"	\$206.50
		15 1/4" to 18"	\$217.30
		18 1/4" to 21"	\$228.20
		21 1/4" to 24"	\$239.10
		24 1/4" to 27"	\$250.00
		27 1/4" to 30"	\$260.80
		30 1/4" to 33"	\$271.70
		33 1/4" to 36"	\$282.60
		36 1/4" to 39"	\$293.40
		39 1/4" to 42"	\$304.30
		42 1/4" to 45"	\$315.20
45 1/4" to 48"	\$326.00		
<b>GL8187</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	min to 6"	\$173.90
		6 1/4" to 9"	\$184.70
		9 1/4" to 12"	\$195.60
		12 1/4" to 15"	\$206.50
		15 1/4" to 18"	\$217.30
		18 1/4" to 21"	\$228.20
		21 1/4" to 24"	\$239.10
		24 1/4" to 27"	\$250.00
		27 1/4" to 30"	\$260.80
		30 1/4" to 33"	\$271.70
		33 1/4" to 36"	\$282.60
		36 1/4" to 39"	\$293.40
		39 1/4" to 42"	\$304.30
		42 1/4" to 45"	\$315.20
45 1/4" to 48"	\$326.00		
<b>Wrench: 333010 Used for: GL5687, GL5688, GL8187</b>			\$46.70



**Dry Sprinklers: Standard Response: Concealed with "The Inch" Adjustable Flat Plate Cover**

Model	Temperature	Length	Price
<b>GL5689</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$170.50
		6 1/4" to 9"	\$182.00
		9 1/4" to 12"	\$193.70
		12 1/4" to 15"	\$205.20
		15 1/4" to 18"	\$216.80
		18 1/4" to 21"	\$228.30
		21 1/4" to 24"	\$239.80
		24 1/4" to 27"	\$251.40
		27 1/4" to 30"	\$262.90
		30 1/4" to 33"	\$274.50
		33 1/4" to 36"	\$286.00
		36 1/4" to 39"	\$297.50
		39 1/4" to 42"	\$309.20
		42 1/4" to 45"	\$320.70
45 1/4" to 48"	\$332.30		
<b>GL8189</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$203.80
		6 1/4" to 9"	\$217.40
		9 1/4" to 12"	\$231.00
		12 1/4" to 15"	\$244.50
		15 1/4" to 18"	\$258.20
		18 1/4" to 21"	\$271.80
		21 1/4" to 24"	\$285.40
		24 1/4" to 27"	\$298.90
		27 1/4" to 30"	\$312.50
		30 1/4" to 33"	\$326.20
		33 1/4" to 36"	\$339.70
		36 1/4" to 39"	\$353.30
		39 1/4" to 42"	\$366.90
		42 1/4" to 45"	\$380.40
45 1/4" to 48"	\$394.00		
<b>Wrench: 337014 Used for: GL5689, GL8189</b>			<b>\$65.20</b>




	Cover: 135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable				
	Used with: GL5689, GL8189				
	<b>Part No.</b>	<b>Finish</b>	<b>Temp</b>	<b>For Use with</b>	<b>Price</b>
	332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
	332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.	
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70	
	Cover: 155°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable				
	Used with: GL5689, GL8189				
	<b>Part No.</b>	<b>Finish</b>	<b>Temp</b>	<b>For Use with</b>	<b>Price</b>
	332898	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
	332898-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332899	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.	
332897	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70	

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

**Dry Sprinklers: Standard Response: Standard Response w/3-Step Flat Plate Cover**

Model	Temperature	Length	Price
<b>GL5681</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$136.40
		6 1/4" to 9"	\$145.60
		9 1/4" to 12"	\$154.90
		12 1/4" to 15"	\$164.10
		15 1/4" to 18"	\$173.40
		18 1/4" to 21"	\$182.60
		21 1/4" to 24"	\$191.80
		24 1/4" to 27"	\$201.10
		27 1/4" to 30"	\$210.30
		30 1/4" to 33"	\$219.60
		33 1/4" to 36"	\$228.80
		36 1/4" to 39"	\$238.00
		39 1/4" to 42"	\$247.30
		42 1/4" to 45"	\$256.50
45 1/4" to 48"	\$265.80		
<b>GL5682</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$163.00
		6 1/4" to 9"	\$173.90
		9 1/4" to 12"	\$184.80
		12 1/4" to 15"	\$195.60
		15 1/4" to 18"	\$206.50
		18 1/4" to 21"	\$217.40
		21 1/4" to 24"	\$228.30
		24 1/4" to 27"	\$239.10
		27 1/4" to 30"	\$250.00
		30 1/4" to 33"	\$260.90
		33 1/4" to 36"	\$271.70
		36 1/4" to 39"	\$282.60
		39 1/4" to 42"	\$293.50
		42 1/4" to 45"	\$304.30
45 1/4" to 48"	\$315.20		
<b>GL8181</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$163.00
		6 1/4" to 9"	\$173.90
		9 1/4" to 12"	\$184.80
		12 1/4" to 15"	\$195.60
		15 1/4" to 18"	\$206.50
		18 1/4" to 21"	\$217.40
		21 1/4" to 24"	\$228.30
		24 1/4" to 27"	\$239.10
		27 1/4" to 30"	\$250.00
		30 1/4" to 33"	\$260.90
		33 1/4" to 36"	\$271.70
		36 1/4" to 39"	\$282.60
		39 1/4" to 42"	\$293.50
		42 1/4" to 45"	\$304.30
45 1/4" to 48"	\$315.20		



**Wrench:** 337014 **Used for:** GL5681, GL5682, GL8181

\$65.20

Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)

**Used with:** GL5681, GL5682, GL8181





Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample.

Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

**Dry Sprinklers: Standard Response: Standard Response w/Domed Cover**

Model	Temperature	Length	Price	
<b>GL5677</b> k=5.6 (80 Metric) Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$136.40	
		6 1/4" to 9"	\$145.60	
			9 1/4" to 12"	\$154.90
			12 1/4" to 15"	\$164.10
			15 1/4" to 18"	\$173.40
			18 1/4" to 21"	\$182.60
			21 1/4" to 24"	\$191.80
			24 1/4" to 27"	\$201.10
			27 1/4" to 30"	\$210.30
			30 1/4" to 33"	\$219.60
			33 1/4" to 36"	\$228.80
			36 1/4" to 39"	\$238.00
			39 1/4" to 42"	\$247.30
			42 1/4" to 45"	\$256.50
		45 1/4" to 48"	\$265.80	
<b>GL5678</b> k=5.6 (80 Metric) Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$163.00	
		6 1/4" to 9"	\$173.90	
			9 1/4" to 12"	\$184.80
			12 1/4" to 15"	\$195.60
			15 1/4" to 18"	\$206.50
			18 1/4" to 21"	\$217.40
			21 1/4" to 24"	\$228.30
			24 1/4" to 27"	\$239.10
			27 1/4" to 30"	\$250.00
			30 1/4" to 33"	\$260.90
			33 1/4" to 36"	\$271.70
			36 1/4" to 39"	\$282.60
			39 1/4" to 42"	\$293.50
			42 1/4" to 45"	\$304.30
		45 1/4" to 48"	\$315.20	
<b>GL8177</b> k=8.0 Thread=1" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	min to 6"	\$163.00	
		6 1/4" to 9"	\$173.90	
			9 1/4" to 12"	\$184.80
			12 1/4" to 15"	\$195.60
			15 1/4" to 18"	\$206.50
			18 1/4" to 21"	\$217.40
			21 1/4" to 24"	\$228.30
			24 1/4" to 27"	\$239.10
			27 1/4" to 30"	\$250.00
			30 1/4" to 33"	\$260.90
			33 1/4" to 36"	\$271.70
			36 1/4" to 39"	\$282.60
			39 1/4" to 42"	\$293.50
			42 1/4" to 45"	\$304.30
		45 1/4" to 48"	\$315.20	
<b>Wrench: 337014 Used for: GL5677, GL5678, GL8177</b>			\$65.20	



Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
 Used with: GL5677, GL5678, GL8177

Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.



**Special Applications: Interstitial Combustible (IC) Concealed: Quick Response: Upright**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5608</b> k=5.6 (80 Metric) Thread=1/2" NPT	175°F (79°C), 200°F (93°C)	Brass (01)	\$78.50
<b>Wrench: 325390 Used for: GL5608</b>			\$46.70

**Special Applications: High Pressure: Quick Response: Pendent**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5602</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$30.40
		Chrome (02)	\$34.20
		White Polyester (03)	\$34.20
		Black Polyester (04)	\$34.20
<b>GL8102</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$47.80
		Chrome (02)	\$51.60
		White Polyester (03)	\$51.60


**Special Applications: High Pressure: Quick Response: Upright**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5616</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$30.40
		Chrome (02)	\$34.20
		White Polyester (03)	\$34.20
		Black Polyester (04)	\$34.20
<b>GL8116</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	P.O.A.
		Chrome (02)	P.O.A.
		White Polyester (03)	P.O.A.
		Black Polyester (04)	P.O.A.
<b>GL8119</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C)	Brass (01)	\$34.70
		Chrome (02)	\$38.50
		White Polyester (03)	\$38.50
		Black Polyester (04)	\$38.50
<b>Wrench: 325390 Used for: GL5616</b>			\$46.70
<b>Wrench: 312366 Used for: GL8116, GL8119</b>			\$46.70

**Special Applications: High Pressure: Quick Response: Concealed w/Domed Cover**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code


Model	Temperature	Finish	Price
<b>GL5646</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$33.60
k=5.6 (80 Metric) Thread=1/2" NPT			
<b>Wrench: 325391 Used for: GL5646</b>			\$65.20



Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
**Used with: GL5646**

Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Special Applications: High Pressure: Quick Response: Concealed w/3-Step Adjustable Cover**



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp ↑ Finish Code

Model	Temperature	Finish	Price
<b>GL5605</b>	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$33.60
k=5.6 (80 Metric) Thread=1/2" NPT			
<b>Wrench: 325391 Used for: GL5605</b>			\$65.20



Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)  
**Used with: GL5605**

Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

**Special Applications: High Pressure: Standard Response: Pendent**

To create entire ordering number: **GLXXXX15501**

SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
GL5652 k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$21.10
		Chrome (02)	\$25.00
		White Polyester (03)	\$25.00
		Black Polyester (04)	\$25.00
		Wax Coated Brass (06)	\$33.10

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

GL8152 k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	P.O.A.
		Chrome (02)	P.O.A.
		White Polyester (03)	P.O.A.
		Black Polyester (04)	P.O.A.
		Wax Coated Brass (06)	P.O.A.

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

GL8157 k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$25.50
		Chrome (02)	\$29.30
		White Polyester (03)	\$29.30
		Black Polyester (04)	\$29.30
		Wax Coated Brass (06)	\$37.50

Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;

<b>Wrench:</b> 325390 <b>Used for:</b> GL5652	\$46.70
<b>Wrench:</b> 312366 <b>Used for:</b> GL8152, GL8157	\$46.70
<b>Wrench (recessed):</b> 325391 <b>Used for:</b> GL5652	\$65.20
<b>Wrench (recessed):</b> 325401 <b>Used for:</b> GL8152, GL8157	\$65.20



Escutcheon: 2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL5652, GL8152

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90




Escutcheon: 2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)  
**Used with:** GL8157

Part No.	Finish	NPT	Price
325423	Chrome	3/4"	\$5.90
325427-W	White	3/4"	\$5.90
325427-B	Black	3/4"	\$5.90
325420	Brass	3/4"	\$5.90


### Special Applications: High Pressure: Standard Response: Upright

To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code



Model	Temperature	Finish	Price
<b>GL5662</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$21.10
		Chrome (02)	\$25.00
		White Polyester (03)	\$25.00
		Black Polyester (04)	\$25.00
		Wax Coated Brass (06)	\$21.10
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8162</b> k=8.0 Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	P.O.A.
		Chrome (02)	P.O.A.
		White Polyester (03)	P.O.A.
		Black Polyester (04)	P.O.A.
		Wax Coated Brass (06)	P.O.A.
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>GL8165</b> k=8.0 Thread=3/4" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C), 286°F (141°C), 360°F (182°C)	Brass (01)	\$29.30
		Chrome (02)	\$29.30
		White Polyester (03)	\$29.30
		Black Polyester (04)	\$29.30
		Wax Coated Brass (06)	\$41.30
Add \$13.00 for 360°; Add \$183.00 for 500° Manufactured with no approvals/listings;			
<b>Wrench: 325390 Used for: GL5662</b>			\$46.70
<b>Wrench: 312366 Used for: GL8162, GL8165</b>			\$46.70

### Special Applications: High Pressure: Standard Response: Concealed w/Domed Cover



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
<b>GL5657</b> k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$22.80
<b>Wrench: 325391 Used for: GL5657</b>			\$65.20




Cover: Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable  
**Used with: GL5657**

Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Special Applications: High Pressure: Standard Response: Concealed w/3-Step Adjustable Cover



To create entire ordering number: **GLXXXX15501**  
 SIN (w/o "GL") → Temp → Finish Code

Model	Temperature	Finish	Price
GL5655 k=5.6 (80 Metric) Thread=1/2" NPT	135°F (57°C), 155°F (68°C), 175°F (79°C), 200°F (93°C)	Brass (01)	\$33.60
<b>Wrench: 325391 Used for: GL5655</b>			\$65.20




Cover: 3-Step Adjustable Cover Plate, 3-5/16" (100mm)

Used with: GL5655

Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.


**Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### Special Applications: Foam Nozzles



Model	Orifice	Thread	Price
335008	3/8" (2.8k)	1/2" NPT	\$36.90
335006	1/2" (5.6k)	1/2" NPT	\$36.90

### Special Applications: Window Sprinklers



Model	Orifice	Thread	Price
335100	1/4"	1/2" NPT	\$33.60
335101	5/16"	1/2" NPT	\$33.60
335102	3/8"	1/2" NPT	\$33.60
335103	7/16"	1/2" NPT	\$33.60
335104	1/2"	1/2" NPT	\$40.70
335105	17/32"	3/4" NPT	\$40.70
335106	5/8"	3/4" NPT	\$40.70

### Recessed Escutcheons



2 Pc. Recessed Escutcheon 1/2" NPT (3/4" Adj. x 2 7/8" Diameter)

Part No.	Finish	NPT	Price
325422	Chrome	1/2"	\$5.90
325426-W	White	1/2"	\$5.90
325426-B	Black	1/2"	\$5.90
325424	Brass	1/2"	\$5.90



2 Pc. Recessed Escutcheon 3/4" NPT (3/4" Adj. x 2 7/8" Diameter)


Part No.	Finish	NPT	Price
----------	--------	-----	-------

### Standard Escutcheons



Short Taper Skirt for 2pc. Extended Escutcheon (reduces deflector to ceiling distance by 3/4")

Part No.	Finish	Price
312040	Chrome	\$2.50
312042	White	\$2.50




Flush Skirt (reduces deflector to ceiling distance by 1 1/4")

Part No.	Finish	Price
312044	Chrome	\$3.80
312046	White	\$2.50
312074-P	White Plastic	\$11.40



1 Pc. (1/4" x 3" Diameter)

Part No.	Finish	Size	Price
325398	Chrome	1/2" NPT	\$3.50
325399	Brass	1/2" NPT	\$3.50
325400	White	1/2" NPT	\$3.50



1 Pc. (5/8" x 2 7/8" Diameter)

Part No.	Finish	Size	Price
312086	Chrome	1/2" NPT	\$2.10
312090	White	1/2" NPT	\$2.10
312087	Chrome	3/4" NPT	\$2.10
312091	White	3/4" NPT	\$2.10



2 Pc. Extended (max. 2 3/4" x 3 1/2" Diameter)


Part No.	Finish	Size	Price
312075	Chrome	1/2" NPT	\$2.90
312074	White	1/2" NPT	\$2.90
312077	Chrome	3/4" NPT	\$2.90
312079	White	3/4" NPT	\$2.90

## 2 Piece Recessed Seismic Escutcheons



2 Piece Seismic Recessed Escutcheon 1/2" NPT (3/4" Adj. x 4-1/2" Diameter)

Part No.	Finish	NPT	Price
326170	Chrome	1/2"	\$7.80
326172-W	White	1/2"	\$7.80



2 Piece Seismic Recessed Escutcheon 3/4" NPT (3/4" Adj. x 4-1/2" Diameter)

Part No.	Finish	NPT	Price
326177	Chrome	3/4"	\$7.80
326179-W	White	3/4"	\$7.80



2 Piece Seismic Recessed Escutcheon 1/2" NPT (1/2" Adj. x 4-1/2" Diameter)


Part No.	Finish	NPT	Price
326201	Chrome	1/2"	\$7.80
326203-W	White	1/2"	\$7.80




2 Piece Seismic Recessed Escutcheon 3/4" NPT (1/2" Adj. x 4-1/2" Diameter)

Part No.	Finish	NPT	Price
326208	Chrome	3/4"	\$7.80
326210-W	White	3/4"	\$7.80

## Residential Concealed Cover Plates



135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable



Part No.	Finish	Temp	For Use with	Price
332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70

**\*Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### 3-Step Adjustable Flat Cover Plate




3-Step Adjustable Cover Plate, 3-5/16" (100mm)

Part No.	Finish	Temp	For Use with	Price
325435	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-W	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325437-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
325438	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
325440	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-W	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
325442-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.90
325443	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.*

\*Note: Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample.

### Commercial Domed Concealed Cover Plates



Domed Cover Plate for Pendent Sprinklers; 3-1/4" (83mm); 1/2" Adjustable


Part No.	Finish	Temp	For Use with	Price
326048	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326048-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326049	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
326046	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
326053	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326053-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
326054	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.*
326051	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70

\*Note: Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample.

Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.




### Commercial Adjustable Cover Plate




**135°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332726	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332726-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332727	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
332724	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70




**155°F The Inch Cover Plate, 2-3/4" (70mm) 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332731	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332731-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332732	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.*
332729	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70



**135°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332706	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332706-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332707	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
332704	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70



**155°F The Inch Cover Plate, 3-5/16" (84mm), 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332711	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332711-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70
332712	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.*
332709	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$21.70



**135°F The Inch Cover Plate, 3-5/16" (100mm); 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332892	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332892-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70
332893	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
332891	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$21.70




**155°F The Inch Cover Plate, 3-5/16" (100mm) 1" Adjustable**

Part No.	Finish	Temp	For Use with	Price
332898	White	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332898-B	Black	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70
332899	Custom	155°F (68°C)	175°F (79°C), 200°F (93°C)	P.O.A.*
332897	Chrome	155°F (68°C)	175°F (79°C), 200°F (93°C)	\$21.70


**\*Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.

### "THE INCH" Cover Plate for Seismic Applications



135°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable

Part No.	Finish	Temp	For Use with	Price
332822	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332822-B	Black	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00
332823	Custom	135°F (57°C)	135°F (57°C), 155°F (68°C)	P.O.A.*
332821	Chrome	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$38.00




155°F The Inch Seismic Cover Plate, 4-1/2" (114mm); 1" Adjustable

Part No.	Finish	Temp	For Use with	Price
332828	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00
332828-B	Black	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.
332829	Custom	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	P.O.A.*
332827	Chrome	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$38.00

**\*Note:** Globe will color match concealed cover plates with any customer-supplied swatch and/or paint sample. Globe uses Benjamin Moore paints. The standard finish for special painted covers is Semi-Gloss. Flat, Matte, Satin, and Gloss finishes are also available upon request. Contact Globe Customer Service for set-up fees and pricing.


### "THE INCH" Cover Plate for Clean Room Applications



The Inch Cover Plate with Clean Room Seal; 2-3/4" plate with 3-3/8" gasket

Part No.	Finish	Temp	For Use with	Price
332737	White	135°F (57°C)	135°F (57°C), 155°F (68°C)	\$108.60
332741	White	155°F (68°C)	155°F (68°C), 175°F (79°C), 200°F (93°C)	\$108.60

### Sprinkler Cabinets (1/2" or 3/4")\*



Description	Part No.	Price
6 Head	312390	\$22.80
12 Head	312392	\$25.00





NOTE: \*When storing concealed sprinklers, 12 Head Cabinet holds 6 units and 6 Head Cabinet holds 3 units.

### Protective Caps





Description	Part No.	Price
Friction Fit for use with Recessed Sprinklers	327109-CAP	\$2.40


### Sprinkler Wrenches

Illustration	Description	Part No.	Price
	Large Orifice Wrench	312366	\$46.70
	1/2" NPT Standard Wrench	325390	\$46.70
	1/2" NPT Recessed / Concealed Wrench	325391	\$65.20
--	3/4" NPT Recessed Wrench	325401	\$65.20
--	Residential Sidewall Recessed Wrench	327102	\$65.20
	1/2" NPT Millennium Wrench	332334	\$65.20

### Sprinkler Guards

Illustration	Description	Part No.	Price
	1/2" 5.6k and 3/4" 8.1k Upright Head Guard (w/o Water Shield)		
	UL Listed Red Painted, 1Pc.	312253-1	\$3.20
	FM Approved Red Painted 1 Pc.	312253-1-B	\$3.20
	UL Listed Chrome Plated 1 Pc.	312253-C	\$3.50
	FM Approved Chrome Plated 1 Pc.	312253-C-B	\$3.50
	1/2" or 3/4" Upright Head Guard w/ Water Shield (for Intermediate Level Usage)		
	Red Painted	321406	\$5.90
	Chrome Plated	321407	\$6.50

**Valves: Alarm Check Valves: 175 PSI**




**175 PSI WORKING PRESSURE - MODEL H-1 FLANGE/FLANGE STYLE**

Part No.	Description	Price
323800	3" Alarm Check Valve - Model H-1 - Valve Only	\$923.90
323757	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323758	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323755	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323756	Factory Standard Trimmed - Horizontal Constant	\$1,869.50
323757-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,600.00
323758-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	P.O.A.
323755-DG	Factory Domestic Galvanized Trimmed - Horizontal Variable + Retard	P.O.A.
323756-DG	Factory Domestic Galvanized Trimmed - Horizontal Constant	P.O.A.

**4" -- MODEL H-1 FLANGE/FLANGE STYLE**

323500	4" Alarm Check Valve - Model H-1 - Valve Only	\$923.90
323525	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323526	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323527	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323529	Factory Standard Trimmed - Horizontal Constant	\$1,869.50

**Valves: Alarm Check Valves: 175 PSI**



**175 PSI WORKING PRESSURE - MODEL H-2 GROOVE/GROOVE STYLE**

Part No.	Description	Price
323825	3" Alarm Check Valve - Model H-2 - Valve Only	\$923.90
323761	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323762	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323759	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323760	Factory Standard Trimmed - Horizontal Constant	\$1,869.50
323761-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,600.00
323762-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	P.O.A.
323759-DG	Factory Domestic Galvanized Trimmed - Horizontal Variable + Retard	P.O.A.
323760-DG	Factory Domestic Galvanized Trimmed - Horizontal Constant	P.O.A.

**4" -- MODEL H-2 GROOVE/GROOVE STYLE**

323550	4" Alarm Check Valve - Model H-2 - Valve Only	\$923.90
323555	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323556	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323627	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323628	Factory Standard Trimmed - Horizontal Constant	\$1,869.50
323555-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,600.00
323556-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	\$2,200.00
323627-DG	Factory Domestic Galvanized Trimmed - Horizontal Variable + Retard	P.O.A.
323628-DG	Factory Domestic Galvanized Trimmed - Horizontal Constant	P.O.A.


**6" -- MODEL H-2 GROOVE/GROOVE STYLE**

323667	6" Alarm Check Valve - Model H-2 - Valve Only (ANSI)	\$1,141.30
323792	Factory Standard Trimmed - Vertical Variable + Retard	\$2,489.10
323793	Factory Standard Trimmed - Vertical Constant	\$2,086.90
323794	Factory Standard Trimmed - Horizontal Variable + Retard	P.O.A.
323795	Factory Standard Trimmed - Horizontal Constant	P.O.A.
323792-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,825.00
323793-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	\$2,420.00
323794-DG	Factory Domestic Galvanized Trimmed - Horizontal Variable + Retard	P.O.A.
323795-DG	Factory Domestic Galvanized Trimmed - Horizontal Constant	P.O.A.

**8" -- MODEL H-2 GROOVE/GROOVE STYLE**

323859	8" Alarm Check Valve - Model H-2 - Valve Only	\$1,630.40
323866	Factory Standard Trimmed - Vertical Variable + Retard	\$2,978.20
323867	Factory Standard Trimmed - Vertical Constant	\$2,576.00
323866-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$3,300.00
323867-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	P.O.A.

**Valves: Alarm Check Valves: 175 PSI**



**175 PSI WORKING PRESSURE - MODEL H-3 FLANGE/GROOVE STYLE**

Part No.	Description	Price
323801	3" Alarm Check Valve - Model H-3 - Valve Only	\$923.90
323765	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323766	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323763	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323764	Factory Standard Trimmed - Horizontal Constant	\$1,869.50
323765-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,600.00
323766-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	P.O.A.
323763-DG	Factory Domestic Galvanized Trimmed - Horiz. Variable + Retard	P.O.A.
323764-DG	Factory Domestic Galvanized Trimmed - Horiz. Constant	P.O.A.

**4" -- MODEL H-3 FLANGE/GROOVE STYLE**

323540	4" Alarm Check Valve - Model H-3 - Valve Only	\$923.90
323545	Factory Standard Trimmed - Vertical Variable + Retard	\$2,271.70
323546	Factory Standard Trimmed - Vertical Constant	\$1,869.50
323538	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,271.70
323539	Factory Standard Trimmed - Horizontal Constant	P.O.A.
323545-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,600.00
323546-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	\$2,200.00
323538-DG	Factory Domestic Galvanized Trimmed - Horiz. Variable + Retard	P.O.A.
323539-DG	Factory Domestic Galvanized Trimmed - Horiz. Constant	P.O.A.

**6" -- MODEL H-3 FLANGE/GROOVE STYLE**

323590	6" Alarm Check Valve - Model H-3 - Valve Only	\$1,141.30
323595	Factory Standard Trimmed - Vertical Variable + Retard	\$2,489.10
323596	Factory Standard Trimmed - Vertical Constant	\$2,086.90
323620	Factory Standard Trimmed - Horizontal Variable + Retard	\$2,489.10
323621	Factory Standard Trimmed - Horizontal Constant	\$2,086.90
323595-DG	Factory Domestic Galvanized Trimmed - Vertical Variable + Retard	\$2,825.00
323596-DG	Factory Domestic Galvanized Trimmed - Vertical Constant	P.O.A.
323620-DG	Factory Domestic Galvanized Trimmed - Horiz. Variable + Retard	P.O.A.
323621-DG	Factory Domestic Galvanized Trimmed - Horiz. Constant	P.O.A.

**8" -- MODEL H-3 FLANGE/GROOVE STYLE**

323852	8" Alarm Check Valve - Model H-3 - Valve Only	\$1,630.40
323864	Factory Standard Trimmed - Vertical Variable + Retard	\$2,978.20
323865	Factory Standard Trimmed - Vertical Constant	\$2,576.00
323864-DG	Factory Standard Trimmed - Vertical Variable + Retard	\$2,978.20
323865-DG	Factory Standard Trimmed - Vertical Constant	P.O.A.

**Valves: Alarm Check Valves: Trim for 175 PSI**

**175 PSI WORKING PRESSURE ALARM VALVE TRIM FOR MODELS H-1, H-2 & H-3**

**Vertical Installation, Variable Pressure**

Part No.	Description	Price
323769	3", Standard Trim	\$728.20
323530	4", Standard Trim	\$728.20
323580	6", Standard Trim	\$728.20
323862	8", Standard Trim	\$728.20
323769-DG	3" Domestic Galvanized Trim	\$1,020.00
323530-DG	4" Domestic Galvanized Trim	\$1,020.00
323580-DG	6" Domestic Galvanized Trim	\$1,020.00
323862-DG	8" Domestic Galvanized Trim	\$1,020.00

**Vertical Installation, Constant Pressure**

323770	3", Standard Trim	\$728.20
323531	4", Standard Trim	\$728.20
323581	6", Standard Trim	\$728.20
323863	8", Standard Trim	\$728.20
323770-DG	3" Domestic Galvanized Trim	\$1,020.00
323531-DG	4" Domestic Galvanized Trim	\$1,020.00
323581-DG	6" Domestic Galvanized Trim	\$1,020.00
323863-DG	8" Domestic Galvanized Trim	\$1,020.00

**Horizontal Installation Variable Pressure**

323767	3", Standard Trim	\$728.20
323535	4", Standard Trim	\$728.20
323623	6", Standard Trim	\$728.20
323767-DG	3" Domestic Galvanized Trim	P.O.A.
323535-DG	4" Domestic Galvanized Trim	\$1,020.00
323623-DG	6" Domestic Galvanized Trim	P.O.A.

**Horizontal Installation Constant Pressure**

323768	3", Standard Trim	\$728.20
323536	4", Standard Trim	\$728.20
323624	6", Standard Trim	\$728.20
323768-DG	3" Domestic Galvanized Trim	P.O.A.
323536-DG	4" Domestic Galvanized Trim	P.O.A.
323624-DG	6" Domestic Galvanized Trim	P.O.A.

**Other Valve Trim Items**

323350	Retard Chamber - Model H	\$402.10
325500	Water Motor Gong - Model WM	\$527.10
325515	For 30" Long Drive Shaft Add:	\$22.80

**Pressure Switch Trim**

323485	Trim for Alarm Pressure Switch	\$21.70
--------	--------------------------------	---------

## Alarm Check Valve 300 psi

### 300 PSI WORKING PRESSURE ALARM VALVE TRIM MODEL H-2 HIGH PRESSURE

#### HP-Vertical Installation, Variable Pressure

Part No.	Description	Price
323769-HP	3", Standard Trim	\$766.50
323530-HP	4", Standard Trim	\$766.50
323580-HP	6", Standard Trim	\$766.50
323862-HP	8", Standard Trim	\$766.50
323769-HP-DG	3", Domestic Galvanized Trim	P.O.A.
323530-HP-DG	4" Domestic Galvanized Trim	\$1,100.00
323580-HP-DG	6" Domestic Galvanized Trim	P.O.A.
323862-HP-DG	8" Domestic Galvanized Trim	P.O.A.

#### HP-Vertical Installation, Constant Pressure

323770-HP	3", Standard Trim	P.O.A.
323531-HP	4", Standard Trim	\$766.50
323581-HP	6", Standard Trim	\$766.50
323863-HP	8", Standard Trim	\$766.50
323770-HP-DG	3", Domestic Galvanized Trim	P.O.A.
323531-HP-DG	4" Domestic Galvanized Trim	\$1,100.00
323581-HP-DG	6" Domestic Galvanized Trim	\$1,100.00
323863-HP-DG	8" Domestic Galvanized Trim	P.O.A.

#### HP-Horizontal Installation Variable Pressure

323767-HP	3", Standard Trim	P.O.A.
323535-HP	4", Standard Trim	P.O.A.
323623-HP	6", Standard Trim	\$766.50
323767-HP-DG	3", Domestic Galvanized Trim	P.O.A.
323535-HP-DG	4" Domestic Galvanized Trim	P.O.A.
323623-HP-DG	6" Domestic Galvanized Trim	P.O.A.

#### HP-Horizontal Installation Constant Pressure

323768-HP	3", Standard Trim	P.O.A.
323536-HP	4", Standard Trim	P.O.A.
323624-HP	6", Standard Trim	P.O.A.
323768-HP-DG	3", Domestic Galvanized Trim	P.O.A.
323536-HP-DG	4" Domestic Galvanized Trim	P.O.A.
323624-HP-DG	6" Domestic Galvanized Trim	P.O.A.


#### Other Valve Trim Items

323350	Retard Chamber - Model H	\$402.10
325500	Water Motor Gong - Model WM	\$527.10
325515	For 30" Long Drive Shaft Add:	\$22.80

#### Pressure Switch Trim

323485	Trim for Alarm Pressure Switch	\$21.70
--------	--------------------------------	---------

**Valves: Check Valves: Model RCV (Groove/Groove)**




**Standard Groove/Groove Style**

Part No.	Description	Price
321526	2" RCV Check (Groove/Groove)	\$170.60
321533	2-1/2" RCV Check (Groove/Groove)	\$201.00
321533-D	65MM (76MM Groove) RCV Check	\$201.00
321539	3" RCV Check (Groove/Groove)	\$201.00
321547	4" RCV Check (Groove/Groove)	\$201.00
321557	6" RCV Check (Groove/Groove)	\$403.20
321557-D	150MM (165MM Groove) RCV Check	\$403.20
321576	8" RCV Check (Groove/Groove)	\$950.00

**Shotgun Groove/Groove Style**

321526-S	2" RCV Shotgun Check (Groove/Groove)	\$282.60
321533-S	2-1/2" RCV Shotgun Check (Groove/Groove)	\$315.20
321533-DS	65MM (76MM Groove) RCV Shotgun Check	P.O.A.
321539-S	3" RCV Shotgun Check (Groove/Groove)	\$315.20
321547-S	4" RCV Shotgun Check (Groove/Groove)	\$315.20
321557-S	6" RCV Shotgun Check (Groove/Groove)	\$514.10
321557-DS	150MM (165MM Groove) RCV Shotgun Check	\$514.10
321576-S	8" RCV Shotgun Check (Groove/Groove)	\$1,075.00
321561	Standard Trim for 2" Shotgun RCV Check Valve	\$253.20
321562	Standard Trim for 2-1/2", 65MM, & 3" Shotgun RCV Check Valve	\$253.20
321563	Standard Trim for 4" Shotgun RCV Check Valve	\$253.20
321564	Standard Trim for 6", 8" & 150MM S Shotgun RCV Check Valve	\$253.20
321561-DG	Domestic Galvanized Trim for 2" Shotgun RCV Check Valve	\$400.00
321562-DG	Domestic Galvanized Trim for 2-1/2", 65MM, & 3" Shotgun RCV Check Valve	\$430.00
321563-DG	Domestic Galvanized Trim for 4" Shotgun RCV Check Valve	\$460.00
321564-DG	Domestic Galvanized Trim for 6", 8" & 150MM S Shotgun RCV Check Valve	\$460.00




**ARV Adjustable Relief Valve**

Part No.	Description	Price
317900	Model ARV Adjustable 1/2" Relief Valve	P.O.A.




## UMC Universal Manifold Check Valve



### UMC Universal Manifold Check Valve

Part No.	Description	Price
317800-R-B	UMC 1 1/4" MxF Threaded Right Handed with Control Valve	\$1,628.60
317800-R	UMC 1 1/4" MxF Threaded Right Handed	\$1,457.20
317800-L-B	UMC 1 1/4" MxF Threaded Left Handed with Control Valve	\$1,628.60
317800-L	UMC 1 1/4" MxF Threaded Left Handed	\$1,457.20
317843-R	UMC 1 1/4" GxG Right Handed	\$1,457.20
317843-L	UMC 1 1/4" GxG Left Handed	\$1,457.20
317803-R-B	UMC 1 1/2" MxF Threaded Right Handed with Control Valve	\$1,628.60
317803-R	UMC 1 1/2" MxF Threaded Right Handed	\$1,628.60
317803-L-B	UMC 1 1/2" MxF Threaded Left Handed with Control Valve	\$1,628.60
317803-L	UMC 1 1/2" MxF Threaded Left Handed	\$1,457.20
317844-R	UMC 1 1/2" GxG Right Handed	\$1,457.20
317844-L	UMC 1 1/2" GxG Left Handed	\$1,457.20
317806-R-B	UMC 2" GxG Right Handed with Control Valve	\$1,628.60
317806-R	UMC 2" GxG Right Handed	\$1,457.20
317806-L-B	UMC 2" GxG Left Handed with Control Valve	\$1,628.60
317806-L	UMC 2" GxG Left Handed	\$1,457.20
317809-R-B	UMC 2 1/2" GxG Right Handed with Control Valve	\$1,715.80
317809-R	UMC 2 1/2" GxG Right Handed	\$1,535.00
317809-L-B	UMC 2 1/2" GxG Left Handed with Control Valve	\$1,715.80
317809-L	UMC 2 1/2" GxG Left Handed	\$1,535.00
317809-D-R-B	UMC 65 mm GxG Right Handed with Control Valve	P.O.A.
317809-D-R	UMC 65 mm GxG Right Handed	P.O.A.
317809-D-L-B	UMC 65 mm GxG Left Handed with Control Valve	P.O.A.
317809-D-L	UMC 65 mm GxG Left Handed	P.O.A.
317812-R-B	UMC 3" GxG Right Handed with Control Valve	\$2,028.60
317812-R	UMC 3" GxG Right Handed	\$1,845.70
317812-L-B	UMC 3" GxG Left Handed with Control Valve	\$2,028.60
317812-L	UMC 3" GxG Left Handed	\$1,845.70
317817-R-B	UMC 4" GxG Right Handed with Control Valve	\$2,028.60
317817-R	UMC 4" GxG Right Handed	\$1,845.70
317817-L-B	UMC 4" GxG Left Handed with Control Valve	\$2,028.60
317817-L	UMC 4" GxG Left Handed	\$1,845.70
317818-R-B	UMC 6" GxG Right Handed with Control Valve	\$2,914.30
317818-R	UMC 6" GxG Right Handed	\$2,674.30
317818-L-B	UMC 6" GxG Left Handed with Control Valve	\$2,914.30
317818-L	UMC 6" GxG Left Handed	\$2,674.30
317818-D-R-B	UMC 150 mm GxG Right Handed with Control Valve	P.O.A.
317818-D-R	UMC 150 mm GxG Right Handed	P.O.A.
317818-D-L-B	UMC 150 mm GxG Left Handed with Control Valve	P.O.A.
317818-D-L	UMC 150 mm GxG Left Handed	P.O.A.

## UTD Universal Test and Drain



### UTD Universal Test and Drain

Part No.	Description	Price
311718	3/4" Threaded Model UTD Test and Drain	P.O.A.
311704	1" Threaded Model UTD Test and Drain	P.O.A.
312368	1 1/4" Threaded Model UTD Test and Drain	P.O.A.
311708	1 1/2" Threaded Model UTD Test and Drain	P.O.A.
311989	1 1/4" Grooved Model UTD Test and Drain	P.O.A.
312429	2" Grooved Model UTD Test and Drain	P.O.A.

### UTD Universal Test and Drain with Model ARV Adjustable Relief Valve

311728	3/4" Threaded Model UTD Test and Drain with Model ARV Relief Valve	\$419.60
311729	1" Threaded Model UTD Test and Drain with Model ARV Relief Valve	\$419.60
311730	1 1/4" Threaded Model UTD Test and Drain with Model ARV Relief Valve	\$489.50
311731	2" Threaded Model UTD Test and Drain with Model ARV Relief Valve	\$699.30
311732	1 1/4" Grooved Model UTD Test and Drain with Model ARV Relief Valve	\$489.50
311733	2" Grooved Model UTD Test and Drain with Model ARV Relief Valve	\$699.30

## Valve Accessories: Alarm Check Valve Accessories: Retarding Chamber Repair Parts

### Retard Chamber Model H (323350)

323353	Drain Bushing	\$59.70
323354	Bushing	\$12.50
323355	Strainer	\$12.50
323356	Cup	\$12.50
323357	Brass Screw	\$4.30

## Valve Accessories: Alarm Check Valve Accessories: Water Motor Gong

### WM Water Motor Gong (325500), WM Water Motor Gong Domestic Galvanized (323535-DG )

325502	Impeller Housing	\$195.60
325504	Mounting Bracket	\$138.00
325506	Gong Shell	\$102.10
325507	Impeller	\$43.40
325508	Striker Shaft	\$21.70
325509	Motor Cover	\$52.10
325510-A	Striker Arm Assembly	\$108.60
325511	Backing Plate Gasket	\$22.80
325515	Drive Shaft	\$22.80
325517	Threaded Pipe	\$55.40
325518	Bearing	\$22.80
325519	Cover Bolt	\$4.60
325520	Striker Assemble Screw	\$4.80
325522	Lock Washer	\$4.80
325532	Backing Plate (WM-2)	\$89.10
325533	Impeller (WM-2)	\$43.40

## RCW Valve

### RCW Valve

Part No.	Description	Price
317400	4 inch RCW GxG Valve Only	\$5,000.00
317550	6 inch RCW GxG Valve Only	\$5,900.00
317550-D	DN150 (165,1mm) RCW GxG Valve Only	P.O.A.

### RCW Valve Replacement Parts

Part No.	Description	Price
317310	4" RCW Gasket Kit	P.O.A.
317311	6" RCW Gasket Kit	P.O.A.
317315	4" RCW Clapper Assembly Kit	P.O.A.
317316	6" RCW Clapper Assembly Kit	P.O.A.
317320	4" RCW Reset Knob Kit	P.O.A.
317321	6" RCW Reset Knob Kit	P.O.A.

## RCW Valve Accessories

### Dry Pilot Actuators

Part No.	Description	Price
317554	GDPA Dry Pilot Actuator (Standard Actuator)	\$1,250.00
317554-LP	GDPA-LP Actuator (Low Pressure Actuator)	\$1,250.00


### Solenoid Valves

G5118026	Skinner 175 psi (UL/FM)	\$850.00
G5118024	Skinner 250 psi (UL/FM)	\$900.00
GHV432449001	ASCO 300 PSI (UL Only)	\$950.00
G8219G207	ASCO 175psi (UL/FM)	\$850.00

### Air Maintenance Devices

320585	H-1 Air Maintenance Device - Regulator Type	\$472.80
320595	H-2 Air Maintenance Device - Switch Type	\$722.80
320600	H-3 Air Maintenance Device - switch Type with Unloader	\$831.50

## Deluge System -- RCW




### Factory Assembled RCW Deluge System Electric Actuation

Part No.	Description	Price
317430	Factory Assembled 4" RCW GxG; Deluge Electric Trim Assembly with RCW Valve	\$8,500.00
317430-B	Factory Assembled 4" RCW GxG; Deluge Electric Trim Assembly with RCW Valve With Butterfly Valve	\$9,400.00
317485	Factory Assembled 6" RCW GxG; Deluge Electric Trim Assembly with RCW Valve	\$9,400.00
317485-B	Factory Assembled 6" RCW GxG; Deluge Electric Trim Assembly with RCW Valve With Butterfly Valve	\$10,300.00
317485-D	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Electric Trim Assembly with RCW Valve	P.O.A.
317485-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Electric Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Deluge System Electric Actuation (Includes Standard 175 psi Solenoid Valve Unless Otherwise Noted, RCW Valve Ordered Separately)

317358	Non Assembled 4" & 6" RCW Valve; Deluge Electric Actuation Trim Kit	\$2,000.00
--------	---	------------




### Factory Assembled RCW Deluge System Dry Pilot Actuation

Part No.	Description	Price
317437	Factory Assembled 4" RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve	\$8,500.00
317437-B	Factory Assembled 4" RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$9,400.00
317486	Factory Assembled 6" RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve	\$9,400.00
317486-B	Factory Assembled 6" RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$10,300.00
317486-D	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve	P.O.A.
317486-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Deluge System Dry Pilot Actuation (RCW Valve Ordered Separately)

317355	Non Assembled 4" & 6" RCW Valve; Deluge Dry Pilot Actuation Trim Kit	\$2,900.00
--------	--	------------




### Factory Assembled RCW Deluge System Wet Pilot Actuation

Part No.	Description	Price
317438	Factory Assembled 4" RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve	\$8,500.00
317438-B	Factory Assembled 4" RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$9,400.00
317487	Factory Assembled 6" RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve	\$9,400.00
317487-B	Factory Assembled 6" RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$10,300.00
317487-D	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve	P.O.A.
317487-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Deluge Wet Pilot Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Deluge System Wet Pilot Actuation (RCW Valve Ordered Separately)

Part No.	Description	Price
317359	Non Assembled 4" & 6" RCW Valve; Deluge Wet Pilot Actuation Trim Kit	\$2,900.00

## Dry Pipe Systems -- RCW



### Factory Assembled RCW Dry Systems (No Accelerator)

Part No.	Description	Price
317448	Factory Assembled 4" RCW GxG; Dry System Trim Assembly with RCW Valve	\$7,500.00
317448-B	Factory Assembled 4" RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve	\$8,400.00
317493	Factory Assembled 6" RCW GxG; Dry System Trim Assembly with RCW Valve	\$8,400.00
317493-B	Factory Assembled 6" RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve	\$9,700.00
317493-D	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Trim Assembly with RCW Valve	P.O.A.
317493-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve	P.O.A.
317448-LP	Factory Assembled 4" RCW GxG; Dry System Trim Assembly with RCW Valve with Low Pressure Actuator	\$7,500.00
317448-B-LP	Factory Assembled 4" RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$8,400.00
317493-LP	Factory Assembled 6" RCW GxG; Dry System Trim Assembly with RCW Valve with Low Pressure Actuator	\$8,400.00
317493-B-LP	Factory Assembled 6" RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$9,700.00
317493-D-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317493-D-B-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	P.O.A.


### Factory Assembled RCW Dry Systems with Accelerator

317449	Factory Assembled 4" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve	\$8,800.00
317449-B	Factory Assembled 4" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve	\$9,700.00
317494	Factory Assembled 6" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve	\$9,700.00
317494-B	Factory Assembled 6" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve	\$11,000.00
317494-D	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve	P.O.A.
317494-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve	P.O.A.
317449-LP	Factory Assembled 4" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Low Pressure Actuator	\$8,800.00
317449-B-LP	Factory Assembled 4" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$9,700.00
317494-LP	Factory Assembled 6" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Low Pressure Actuator	\$9,700.00
317494-B-LP	Factory Assembled 6" RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$11,000.00
317494-D-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317494-D-B-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Dry System Valve Trim W/ Accelerator/AFD Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	P.O.A.

### Non Assembled RCW Dry System Trim Kit (RCW Valve Ordered Separately)

317340	Non Assembled 4" & 6" RCW; Dry System Trim Kit	\$2,000.00
317341	Non Assembled 4" & 6" RCW; Accelerator and Model D Anti Flooding Device and Trim Kit	\$1,661.00

## Single Interlock Systems -- RCW



### Factory Assembled RCW Single Interlock Electric Actuation

Part No.	Description	Price
317440	4" RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve	\$10,500.00
317440-B	4" RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve With Butterfly Valve	\$11,400.00
317489	6" RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve	\$11,400.00
317489-B	6" RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve With Butterfly Valve	\$12,300.00
317489-D	DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317489-D-B	DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock Electric Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Single Interlock Electric Actuation

(RCW Valve Ordered Separately, Includes Standard 175 psi Solenoid Valve Unless Otherwise Noted)


317363	Non Assembled 4" & 6" RCW Valve; Pre-Action, Single Interlock Electric Actuation Trim Kit	\$5,000.00
--------	---	------------

### Factory Assembled RCW Single Interlock Dry Pilot Actuation

317439	4" RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve	\$9,100.00
317439-B	4" RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$10,000.00
317490	6" RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve	\$10,900.00
317490-B	6" RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$11,000.00
317490-D	DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve	P.O.A.
317490-D-B	DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock, Dry Pilot Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Single Interlock Dry Pilot Actuation (RCW Valve Ordered Separately)

Part No.	Description	Price
317361	Non Assembled 4" & 6" RCW Valve; Pre-Action, Single Interlock, Dry Pilot Actuation Trim Kit	\$3,400.00




### Factory Assembled RCW Single Interlock Wet Pilot Actuation

Part No.	Description	Price
317442	Factory Assembled 4" RCW GxG; Pre-Action, Single Interlock Wet Trim Assembly with RCW Valve	\$9,100.00
317442-B	Factory Assembled 4" RCW GxG; Pre-Action, Single Interlock Wet Trim Assembly with RCW Valve With Butterfly Valve	\$10,000.00
317488	Factory Assembled 6" RCW GxG; Pre-Action, Single Interlock, Wet Pilot Trim Assembly with RCW Valve	\$10,900.00
317488-B	Factory Assembled 6" RCW GxG; Pre-Action, Single Interlock, Wet Pilot Trim Assembly with RCW Valve With Butterfly Valve	\$11,800.00
317488-D	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock, Wet Pilot Trim Assembly with RCW Valve	P.O.A.
317488-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Single Interlock, Wet Pilot Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Single Interlock Wet Pilot Actuation (RCW Valve Ordered Separately)

317360	Non Assembled 4" & 6" RCW Valve; Pre-Action, Single Interlock, Wet Pilot Actuation Trim Kit	\$3,400.00
--------	---	------------

## Double Interlock Systems -- RCW



### Factory Assembled RCW Double Interlock Electric/ Electric Actuation

Part No.	Description	Price
317443	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve	\$10,500.00
317443-B	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve With Butterfly Valve	\$11,400.00
317492	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve	\$11,400.00
317492-B	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve With Butterfly Valve	\$12,300.00
317492-D	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve	P.O.A.
317492-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock, Electric-Electric Trim Assembly with RCW Valve With Butterfly Valve	P.O.A.

### Non Assembled RCW Double Interlock Wet Electric/ Electric Actuation (RCW Valve Ordered Separately, Includes Standard 175 psi Solenoid Valve Unless Otherwise Noted)

317356	Non Assembled 4" & 6" RCW Valve; Pre-Action, Double Interlock Electric-Pneumatic Trim Kit	\$5,000.00
--------	---	------------


### Factory Assembled RCW Double Interlock Electric/ Pneumatic Actuation

317441	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve	\$11,100.00
317441-B	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve	\$12,000.00
317491	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve	\$12,000.00
317491-B	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve	\$12,900.00
317491-D	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve	P.O.A.
317491-D-B	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve	P.O.A.
317441-LP	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Low Pressure Actuator	\$11,100.00
317441-B-LP	Factory Assembled 4" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$12,000.00
317491-LP	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Low Pressure Actuator	\$12,000.00
317491-B-LP	Factory Assembled 6" RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	\$12,900.00
317491-D-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317491-D-B-LP	Factory Assembled DN150 (165,1mm) RCW GxG; Pre-Action, Double Interlock Electric-Pneumatic Trim Assembly with RCW Valve with Butterfly Valve with Low Pressure Actuator	P.O.A.

### Non Assembled RCW Double Interlock Electric/ Pneumatic Actuation (RCW Valve Ordered Separately, Includes Standard 175 psi Solenoid Valve Unless Otherwise Noted)

317357	Non Assembled 4" & 6" RCW Valve; Pre-Action, Double Interlock Electric-Electric Trim Kit	\$5,000.00
317357-LP	Non Assembled 4" & 6" RCW Valve; Pre-Action, Double Interlock Electric-Electric Trim Kit with Low Pressure Actuator	\$5,000.00

## Non-Interlock System -- RCW



### Factory Assembled RCW Non Interlock Electric Actuation

Part No.	Description	Price
317366-B	Factory Assembled 4" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317366-B-LP	Factory Assembled 4" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317370-B	Factory Assembled 6" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317370-B-LP	Factory Assembled 6" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317370-D-B	Factory Assembled DN 150 (165,1 mm) RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317370-D-B-LP	Factory Assembled DN 150 (165,1 mm) RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317366	Factory Assembled 4" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317366-LP	Factory Assembled 4" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317370	Factory Assembled 6" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317370-LP	Factory Assembled 6" RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
317370-D	Factory Assembled DN 150 (165,1 mm) RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve	P.O.A.
317370-D-LP	Factory Assembled DN 150 (165,1 mm) RCW GxG; Pre-Action, Non Interlock Electric Trim Assembly with RCW Valve with Low Pressure Actuator	P.O.A.
<b>Non Assembled RCW Non Interlock Electric Actuation (RCW Valve Ordered Separately, Includes Standard 175 psi Solenoid Valve Unless Otherwise Noted)</b>		
317365	Non Assembled 4" & 6" RCW Non Interlock Electric Actuation	P.O.A.
317365-LP	Non Assembled 4" & 6" RCW Non Interlock Electric Actuation with Low Pressure Actuator	P.O.A.



**Valves: Butterfly Valves**

**GBV300GT, Grooved End, Tapped, DI Butterfly Valve**

Part No.	Description	Price
311768-G	2-1/2" V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311768-GD	65mm V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311769-G	3" V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311770-G	4" V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311771-G	6" V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311771-GD	150mm V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.
311772-G	8" V_GB300GT, Grooved End, Tapped, DI Butterfly Valve	P.O.A.

**GLR300G, Grooved End, Butterfly Valve**

311785-G	2-1/2" V_GLR300G, Grooved End, Butterfly Valve	\$351.00
311785-GD	65mm V_GLR300G, Grooved End, Butterfly Valve	P.O.A.
311790-G	3" V_GLR300G, Grooved End, Butterfly Valve	\$356.50
311795-G	4" V_GLR300G, Grooved End, Butterfly Valve	\$414.10
311805-G	6" V_GLR300G, Grooved End, Butterfly Valve	\$598.90
311805-GD	150mm V_GLR300G, Grooved End, Butterfly Valve	\$598.90
311815-G	8" V_GLR300G, Grooved End, Butterfly Valve	\$834.70

**GLR300W, Wafer Style, Butterfly Valve**

311836-G	2-1/2" V_GLR300W, Wafer Style, Butterfly Valve	\$381.50
311839-G	3" V_GLR300W, Wafer Style, Butterfly Valve	\$386.90
311846-G	4" V_GLR300W, Wafer Style, Butterfly Valve	\$444.50
311861-G	6" V_GLR300W, Wafer Style, Butterfly Valve	\$651.00
311871-G	8" V_GLR300W, Wafer Style, Butterfly Valve	\$866.30

**GL300T, Threaded End, Bronze Butterfly Valve**

311726-G	1" V_GL300T, Threaded End, Bronze Butterfly Valve	\$327.00
311736-G	1-1/4" V_GL300T, Threaded End, Bronze Butterfly Valve	\$358.00
311746-G	1-1/2" V_GL300T, Threaded End, Bronze Butterfly Valve	\$407.00
311756-G	2" V_GL300T, Threaded End, Bronze Butterfly Valve	\$445.00
311761-G	2-1/2" V_GL300T, Threaded End, Bronze Butterfly Valve	\$445.00

**GL300G, Grooved End, Bronze Butterfly Valve**

311766-G	2" V_GL300G, Grooved End, Bronze Butterfly Valve	\$460.00
311774-G	2-1/2" V_GL300G, Grooved End, Bronze Butterfly Valve	\$525.00

**Valve Accessories: Electronic Devices**

**Electronic Devices: Tamper Switches**

312362	OSY2 (OS&Y 1 1/2"), Tamper Switches	\$151.00
312364-2	PIBV2 (PIV & Butterfly 1" - 12"), Tamper Switches	\$151.00
301672	PSP1 (Plug-In Supervisory Switch), Tamper Switches	\$290.20

**Electronic Devices: Electric Bells**

312375	6" 24 VDC Electric Bell (Indoor Type)	\$64.10
312376	8" 24 VDC Electric Bell (Indoor Type)	\$80.40
312377	10" 24 VDC Electric Bell (Indoor Type)	\$91.30
312379	6" 120 VAC Electric Bell (Indoor Type)	\$64.10
312380	8" 120 VAC Electric Bell (Indoor Type)	\$80.40
312381	10" 120 VAC Electric Bell (Indoor Type)	\$91.30
312378	Weatherproof Back Box	\$34.70

**Electronic Devices: Waterflow Detectors, T-Tap Type Model**

322383	1", 1.25", 1.5", 2" Pipe Size W / 1" NPT	\$238.00
322385	1", 1.25", 1.5", 2" Pipe Size W / 1" NPT Narrow Cover	\$238.00
322387	1", 1.25", 1.5", 2" Pipe Size W / 1" NPT, Non Retard	\$193.40

**Electronic Devices: Water Flow Detectors**

312382	WFD20 2"	\$229.30
312383	WFD25 2 1/2"	\$229.30
312384	WFD30 3"	\$229.30
312385	WFD35 3 1/2"	\$229.30
312386	WFD40 4"	\$229.30
312387	WFD50 5"	\$229.30
312388	WFD60 6"	\$229.30
312389	WFD80 8"	\$256.50
322384	NEMA4 Gasket Kit (WFD20 Through WFD80)	\$11.90